



NEW PRODUCTS
AUTUMN
2018

Kanlux

Kanlux

NEW PRODUCTS

AUTUMN

2018

LIGHT SOURCES

T8 LED GLASSV3 9W	T8 LED GLASSV3 18W	T8 LED GLASSV3 24W	IQ-LED A60 10,5W	IQ-LED A60 14W	IQ-LED A60 5,5W	IQ-LED A60 9W
4	4	5	5-6	6	6	7
IQ-LED C37E14 5,5W	IQ-LED C37E14 7,5W	IQ-LED G45E27 5,5W	IQ-LED G45E14 5,5W	IQ-LED G45E14 7,5W	IQ-LED G45E27 7,5W	IQ-LEDDIM A60 15W
7	7-8	8-9	9	9	9	10
IQ-LEDDIM A60 5,5W	IQ-LEDDIM A60 8,5W	IQ-LEDDIM A60 12,5W	TEZI LED3,5W GU10	TEZI LED4,5W GU10	TEZI LED6W GU10	
10 - 11	11	11	12	12 - 13	13	



INVESTMENT LIGHTING

ANTOS LED 10W	ANTOS LED 10W SE	ANTOS LED 20W	ANTOS LED 20W SE	ANTOS LED 30W	ANTOS LED 30W SE	ANTOS LED 50W
16	16	16	16	17	17	17
ANTOS LED 50W SE	AVAR	BRAVO S	BRAVO P	BRAVO PU	BRAVO SU	BRAVO ACCESSORIES
17	17	18	18 - 19	20	21 - 22	22

BRAVO DRIVER	VARSO LED	VARSO LED SE	ELNERLED	ELNER LED SE	HB PRO	KRALA 6060
23	24	24	25	25	24	28
KRALA ACCESSORIES	LINER LED	MEBA 4LED	STREET LED	FL MASTER LED	FLM LED	HB MASTER LED
28	29	29-30	31	32	32-33	33
HBM ACCESSORIES						
34-35						


DOMESTIC LIGHTING

ETISSA	OGIVA	ALGO PL	ALGO PO	RITI	ALGO CL	ALGO CO
38	38	38 - 39	39	39	40	40 - 41
ASIL G9 C	ASIL G9 W	KASSI G9 L	KASSI G9 O	MORTA AR O	MORTA AR L	ALREN R
41	41 - 42	42	42	42	42 - 43	43
CEMIN	ELNIS S	ELNIS L	SPAG L	SPAG S	SPAG C	SPAG D
43	44	44 - 46	46	46	47	47




						
HERON LED	ISTI LED	SARI LED	APUS LED PIR	TERRA LED PIR	SABIK LED PIR	PESSA LED
47	48	48	49	49	49	50

WIRING ACCESSORIES

						
ITECH C1	ONTEC R	ONTEC S	ONTEC CC	ONTEC G	PICTO ONTEC G	PICTO ONTEC S
54 - 56	57	58 - 59	59	60	61-65	65-70


VIP PRO
70

MILEDO

		
T8	G9	HB PRO
74	74	75

PRODUCTION

			
ALIN LED	ALIN 4LED	OFIS LED	FUTURIO
80 - 89	90 - 91	92 - 97	98 - 102

NEW PRODUCTS AUTUMN 2018

2	LIGHT SOURCES
14	INVESTMENT LIGHTING
36	DOMESTIC LIGHTING
52	WIRING ACCESSORIES
72	MILED0
76	PRODUCTION

NEW PRODUCTS
AUTUMN
2018



LIGHT
SOURCES

T8 GLASS T8 GLASS



T8 LED GLASSV3 9W-NW

T8 LED GLASSV3

INDEX **26062**

EAN **5905339260628**

A++								
9 W	G13	LED SMD	4000 K	1260 lm	25000 h	≥15000		
⚡ 220-240V~; 50/60Hz								



T8 LED GLASSV3 9W-CW

T8 LED GLASSV3

INDEX **26063**

EAN **5905339260635**

A++								
9 W	G13	LED SMD	6500 K	1260 lm	25000 h	≥15000		
⚡ 220-240V~; 50/60Hz								



T8 LED GLASSV3 18W-NW

T8 LED GLASSV3

INDEX **26064**

EAN **5905339260642**

A++								
18 W	G13	LED SMD	4000 K	2520 lm	25000 h	≥15000		
⚡ 220-240V~; 50/60Hz								



T8 LED GLASSV3 18W-CW

T8 LED GLASSV3

INDEX **26065**

EAN **5905339260659**

A++								
18 W	G13	LED SMD	6500 K	2520 lm	25000 h	≥15000		
⚡ 220-240V~; 50/60Hz								



T8 LED GLASSV3 24W-NW

T8 LED GLASSV3

INDEX **26066**

EAN **5905339260666**

A++								
24 W	G13	LED SMD	4000 K	3360 lm	25000 h	≥15000		
⚡ 220-240V~; 50/60Hz								



T8 LED GLASSV3 24W-CW

T8 LED GLASSV3

INDEX **26067**

EAN **5905339260673**

A++								
24 W	G13	LED SMD	6500 K	3360 lm	25000 h	≥15000		
⚡ 220-240V~; 50/60Hz								

IQ LED KANLUX IQ LED KANLUX



IQ-LED A60 10,5W-WW

IQ LED

INDEX **27276**

EAN **5905339272768**

A+								
10,5 W	E27	LED SMD	2700 K	1060 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED A60 10,5W-NW

IQ LED

INDEX **27277**

EAN **5905339272775**

A+								
10,5 W	E27	LED SMD	4000 K	1080 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED A60 10,5W-CW

IQ LED

INDEX **27278**

EAN **5905339272782**

A+							
10,5 W	E27	LED SMD	6500 K	1080 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED A60 14W-WW

IQ LED

INDEX **27279**

EAN **5905339272799**

A+							
14 W	E27	LED SMD	2700 K	1520 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED A60 14W-NW

IQ LED

INDEX **27280**

EAN **5905339272805**

A+							
14 W	E27	LED SMD	4000 K	1580 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED A60 14W-CW

IQ LED

INDEX **27281**

EAN **5905339272812**

A+							
14 W	E27	LED SMD	6500 K	1580 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED A60 5,5W-WW

IQ LED

INDEX **27270**

EAN **5905339272706**

A+							
5,5 W	E27	LED SMD	2700 K	470 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED A60 5,5W-NW

IQ LED

INDEX **27271**

EAN **5905339272713**

A+							
5,5 W	E27	LED SMD	4000 K	480 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED A60 5,5W-CW

IQ LED

INDEX **27272**

EAN **5905339272720**

A+							
5,5 W	E27	LED SMD	6500 K	480 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED A60 9W-WW

IQ LED

INDEX **27273**

EAN **5905339272737**

A+							
9 W	E27	LED SMD	2700 K	810 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED A60 9W-NW

IQ LED

INDEX **27274**

EAN **5905339272744**

A+							
9 W	E27	LED SMD	4000 K	810 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED A60 9W-CW

IQ LED

INDEX **27275**

EAN **5905339272751**

A+							
9 W	E27	LED SMD	6500 K	810 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED C37E14 5,5W-WW

IQ LED

INDEX **27294**

EAN **5905339272942**

A+							
5,5 W	E14	LED SMD	2700 K	470 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED C37E14 5,5W-NW

IQ LED

INDEX **27295**

EAN **5905339272959**

A+							
5,5 W	E14	LED SMD	4000 K	490 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED C37E14 5,5W-CW

IQ LED

INDEX **27296**

EAN **5905339272966**

A+							
5,5 W	E14	LED SMD	6500 K	490 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED C37E14 7,5W-WW

IQ LED

INDEX **27297**

EAN **5905339272973**

A+							
7,5 W	E14	LED SMD	2700 K	810 lm	15000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LED C37E14 7,5W-NW

IQ LED

INDEX **27298**

EAN **5905339272980**

A+								
7,5 W	E14	LED SMD	4000 K	830 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED C37E14 7,5W-CW

IQ LED

INDEX **27299**

EAN **5905339272997**

A+								
7,5 W	E14	LED SMD	6500 K	830 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E14 5,5W-WW

IQ LED

INDEX **27300**

EAN **5905339273000**

A+								
5,5 W	E14	LED SMD	2700 K	470 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E14 5,5W-NW

IQ LED

INDEX **27301**

EAN **5905339273017**

A+								
5,5 W	E14	LED SMD	4000 K	490 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E14 5,5W-CW

IQ LED

INDEX **27302**

EAN **5905339273024**

A+								
5,5 W	E14	LED SMD	6500 K	490 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E27 5,5W-WW

IQ LED

INDEX **27303**

EAN **5905339273031**

A+								
5,5 W	E27	LED SMD	2700 K	470 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E27 5,5W-NW

IQ LED

INDEX **27304**

EAN **5905339273048**

A+								
5,5 W	E27	LED SMD	4000 K	490 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E27 5,5W-CW

IQ LED

INDEX **27305**

EAN **5905339273055**

A+								
5,5 W	E27	LED SMD	6500 K	490 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E14 7,5W-WW

IQ LED

INDEX **27306**

EAN **5905339273062**

A+								
7,5 W	E14	LED SMD	2700 K	810 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E14 7,5W-NW

IQ LED

INDEX **27307**

EAN **5905339273079**

A+								
7,5 W	E14	LED SMD	4000 K	830 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E14 7,5W-CW

IQ LED

INDEX **27308**

EAN **5905339273086**

A+								
7,5 W	E14	LED SMD	6500 K	830 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E27 7,5W-WW

IQ LED

INDEX **27309**

EAN **5905339273093**

A+								
7,5 W	E27	LED SMD	2700 K	810 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E27 7,5W-NW

IQ LED

INDEX **27310**

EAN **5905339273109**

A+								
7,5 W	E27	LED SMD	4000 K	830 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LED G45E27 7,5W-CW

IQ LED

INDEX **27311**

EAN **5905339273116**

A+								
7,5 W	E27	LED SMD	6500 K	830 lm	15000 h	≥40000		
⚡ 220-240V~; 50/60Hz								



IQ-LEDDIM A60 15W-WW

IQ LED

INDEX **27291**

EAN **5905339272911**

A+							
15 W	E27	LED SMD	2700 K	1520 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A60 15W-NW

IQ LED

INDEX **27292**

EAN **5905339272928**

A+							
15 W	E27	LED SMD	4000 K	1580 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A60 15W-CW

IQ LED

INDEX **27293**

EAN **5905339272935**

A+							
15 W	E27	LED SMD	6500 K	1580 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A60 5,5W-WW

IQ LED

INDEX **27282**

EAN **5905339272829**

A+							
5,5 W	E27	LED SMD	2700 K	470 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A60 5,5W-NW

IQ LED

INDEX **27283**

EAN **5905339272836**

A+							
5,5 W	E27	LED SMD	4000 K	500 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A60 5,5W-CW

IQ LED

INDEX **27284**

EAN **5905339272843**

A+							
5,5 W	E27	LED SMD	6500 K	510 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A60 8,5W-WW

IQ LED

INDEX **27285**

EAN **5905339272850**

A+							
8,5 W	E27	LED SMD	2700 K	810 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A60 8,5W-NW

IQ LED

INDEX **27286**

EAN **5905339272867**

A+							
8,5 W	E27	LED SMD	4000 K	850 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A60 8,5W-CW

IQ LED

INDEX **27287**

EAN **5905339272874**

A+							
8,5 W	E27	LED SMD	6500 K	880 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A6012,5W-WW

IQ LED

INDEX **27288**

EAN **5905339272881**

A+							
12,5 W	E27	LED SMD	2700 K	1060 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A6012,5W-NW

IQ LED

INDEX **27289**

EAN **5905339272898**

A+							
12,5 W	E27	LED SMD	4000 K	1100 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							



IQ-LEDDIM A6012,5W-CW

IQ LED

INDEX **27290**

EAN **5905339272904**

A+							
12,5 W	E27	LED SMD	6500 K	1100 lm	25000 h	≥40000	
⚡ 220-240V~; 50/60Hz							

TEZI
TEZI



TEZI LED4,5W GU10-NW

TEZI LED

INDEX **27774**

EAN **5905339277749**

A++



4,5 W



GU10



LED SMD



4000 K



390 lm



15000 h



≥40000

⚡ 220-240V~; 50/60Hz



TEZI LED4,5W GU10-CW

TEZI LED

INDEX **27775**

EAN **5905339277756**

A++



4,5 W



GU10



LED SMD



6500 K



390 lm



15000 h



≥40000

⚡ 220-240V~; 50/60Hz



TEZI LED6W GU10-WW

TEZI LED

INDEX **27776**

EAN **5905339277763**

A++



6 W



GU10



LED SMD



3000 K



470 lm



15000 h



≥40000

⚡ 220-240V~; 50/60Hz



TEZI LED6W GU10-NW

TEZI LED

INDEX **27777**

EAN **5905339277770**

A++



6 W



GU10



LED SMD



4000 K



500 lm



15000 h



≥40000

⚡ 220-240V~; 50/60Hz



TEZI LED6W GU10-CW

TEZI LED

INDEX **27778**

EAN **5905339277787**

A++



6 W



GU10



LED LAMP



6500 K



500 lm



15000 h



≥40000

⚡ 220-240V~; 50/60Hz



TEZI LED3,5W GU10-WW

TEZI LED

INDEX **27770**

EAN **5905339277701**

A++



3,5 W



GU10



LED SMD



3000 K



250 lm



15000 h



≥40000

⚡ 220-240V~; 50/60Hz



TEZI LED3,5W GU10-NW

TEZI LED

INDEX **27771**

EAN **5905339277718**

A++



3,5 W



GU10



LED SMD



4000 K



270 lm



15000 h



≥40000

⚡ 220-240V~; 50/60Hz



TEZI LED3,5W GU10-CW

TEZI LED

INDEX **27772**

EAN **5905339277725**

A++



3,5 W



GU10



LED SMD



6500 K



270 lm



15000 h



≥40000

⚡ 220-240V~; 50/60Hz



TEZI LED4,5W GU10-WW

TEZI LED

INDEX **27773**

EAN **5905339277732**

A++



4,5 W



GU10



LED SMD



3000 K



370 lm



15000 h



≥40000


⚡ 220-240V~; 50/60Hz

NEW PRODUCTS
AUTUMN
2018



INVESTMENT
LIGHTING

LED FLOODLIGHTS LED FLOODLIGHTS



ANTOS LED 10W-NW B

LED FLOODLIGHT

INDEX **27090**
EAN **5905339270900**

10 W LED SMD **IP** 65 4000 K 800 lm 25000 h **ON OFF**

⚡ 220-240V~ / 50/60Hz



black

casing: aluminum, reflector: aluminum
protective glass: hardened glass



ANTOS LED 10W-NW-SE B

LED FLOODLIGHT WITH A MOTION DETECTOR

INDEX **27094**
EAN **5905339270948**

10 W LED SMD **IP** 44 4000 K 800 lm 25000 h **ON OFF**

⚡ 220-240V~ / 50/60Hz



black

casing: aluminum, reflector: aluminum
protective glass: hardened glass



ANTOS LED 20W-NW B

LED FLOODLIGHT

INDEX **27091**
EAN **5905339270917**

20 W LED SMD **IP** 65 4000 K 1600 lm 25000 h **ON OFF**

⚡ 220-240V~ / 50/60Hz



black

casing: aluminum, reflector: aluminum
protective glass: hardened glass



ANTOS LED 20W-NW-SE B

LED FLOODLIGHT WITH A MOTION DETECTOR

INDEX **27095**
EAN **5905339270955**

20 W LED SMD **IP** 44 4000 K 1600 lm 25000 h **ON OFF**

⚡ 220-240V~ / 50/60Hz



black

casing: aluminum, reflector: aluminum
protective glass: hardened glass



ANTOS LED 30W-NW B

LED FLOODLIGHT

INDEX **27092**
EAN **5905339270924**

30 W LED SMD **IP** 65 4000 K 2400 lm 25000 h **ON OFF**

⚡ 220-240V~ / 50/60Hz



black

casing: aluminum, reflector: aluminum
protective glass: hardened glass



ANTOS LED 30W-NW-SE

LED FLOODLIGHT WITH A MOTION DETECTOR

INDEX **27096**
EAN **5905339270962**

30 W LED SMD **IP** 44 4000 K 2400 lm 25000 h **ON OFF**

⚡ 220-240V~ / 50/60Hz



black

casing: aluminum, reflector: aluminum
protective glass: hardened glass



ANTOS LED 50W-NW B

LED FLOODLIGHT

INDEX **27093**
EAN **5905339270931**

50 W LED SMD **IP** 65 4000 K 4000 lm 25000 h **ON OFF**

⚡ 220-240V~ / 50/60Hz



black

casing: aluminum, reflector: aluminum
protective glass: hardened glass



ANTOS LED 50W-NW-SE B

LED FLOODLIGHT WITH A MOTION DETECTOR

INDEX **27097**
EAN **5905339270979**

50 W LED SMD **IP** 44 4000 K 4000 lm 25000 h **ON OFF**

⚡ 220-240V~ / 50/60Hz



black

casing: aluminum, reflector: aluminum
protective glass: hardened glass

LED LIGHTING FIXTURES LED LIGHTING FIXTURES



AVAR 6060 40W-CW

LED LIGHTING FIXTURE

INDEX **26771**
EAN **5905339267719**

40 W LED SMD **IP** 20 6000 K 3800 lm 25000 h **ON OFF**

⚡ 220-240V~ / 50/60Hz



white

frame: aluminium alloy / casing: aluminium alloy / panel: plastic



AVAR 6060 40W-WW

LED LIGHTING FIXTURE

INDEX **26772**
EAN **5905339267726**

40 W LED SMD **IP** 20 3000 K 3400 lm 25000 h **ON OFF**


⚡ 220-240V~ / 50/60Hz



white

frame: aluminium alloy / casing: aluminium alloy / panel: plastic

LED PANELS
LED PANELS



BRAVO S 3060 28W-NW-W

LED PANEL

INDEX **22245**
EAN **5905339222459**

28 W LED SMD 20 4000 K 2800 lm 25000 h 15000

⚡ 220-240V~ / 50/60Hz

white frame: aluminium alloy / casing: steel sheet / panel: plastic

BRAVO P 36W12030NW SR

LED PANEL

INDEX **28021**
EAN **5905339280213**

36W LED SMD 20 4000 K 4320 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

silver frame: aluminium alloy / casing: steel sheet / panel: plastic

BRAVO P 36W12030NW W

LED PANEL

INDEX **28020**
EAN **5905339280206**

36W LED SMD 20 4000 K 4320 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

white frame: aluminium alloy / casing: steel sheet / panel: plastic

BRAVO P 36W6060CW SR

LED PANEL

INDEX **28007**
EAN **5905339280077**

36W LED SMD 20 6500 K 4320 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO P 36W6060CW W

LED PANEL

INDEX **28006**
EAN **5905339280060**

36 W LED SMD 20 6500 K 4320 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO P 36W6060NW SR

LED PANEL

INDEX **28001**
EAN **5905339280015**

36 W LED SMD 20 4000 K 4320 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO P 36W6060NW W

LED PANEL

INDEX **28000**
EAN **5905339280008**

36 W LED SMD 20 4000 K 4320 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO P 36W6060WW SR

LED PANEL

INDEX **28005**
EAN **5905339280053**

36 W LED SMD 20 3000 K 4320 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO P 36W6060WW W

LED PANEL

INDEX **28004**
EAN **5905339280046**

36 W LED SMD 20 3000 K 4320 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO P 45W6060NW SR

LED PANEL

INDEX **28009**
EAN **5905339280091**

45 W LED SMD 20 4000 K 5400 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO P 45W6060NW W

LED PANEL

INDEX **28008**
EAN **5905339280084**

45 W LED SMD 20 4000 K 5400 lm 30000 h 15000

⚡ 220-240V~ / 50/60Hz

white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO PU36W6060NW SR

LED PANEL

INDEX **28003**
EAN **5905339280039**

		IP				
36 W	LED SMD	20	4000 K	4320 lm	30000 h	15000

⚡ 220-240V~ / 50/60Hz



silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO PU36W6060NW W

LED PANEL

INDEX **28002**
EAN **5905339280022**

		IP				
36 W	LED SMD	20	4000 K	4320 lm	30000 h	15000

⚡ 220-240V~ / 50/60Hz



white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO PU36W6262NW W

LED PANEL

INDEX **28024**
EAN **5905339280244**

		IP				
36 W	LED SMD	20	4000 K	4320 lm	30000 h	15000

⚡ 220-240V~ / 50/60Hz



white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 40W12030NW SR

LED PANEL

INDEX **28023**
EAN **5905339280237**

		IP				
40 W	LED SMD	20	4000 K	4000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 40W12030NW W

LED PANEL

INDEX **28022**
EAN **5905339280220**

		IP				
40 W	LED SMD	20	4000 K	4000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 40W6060CW SR

LED PANEL

INDEX **28017**
EAN **5905339280176**

		IP				
40 W	LED SMD	20	6500 K	4000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 40W6060CW W

LED PANEL

INDEX **28016**
EAN **5905339280169**

		IP				
40 W	LED SMD	20	6500 K	4000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 40W6060NW SR

LED PANEL

INDEX **28011**
EAN **5905339280114**

		IP				
40 W	LED SMD	20	4000 K	4000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 40W6060NW W

LED PANEL

INDEX **28010**
EAN **5905339280107**

		IP				
40 W	LED SMD	20	4000 K	4000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 40W6060WW SR

LED PANEL

INDEX **28015**
EAN **5905339280152**

		IP				
40 W	LED SMD	20	3000 K	4000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 40W6060WW W

LED PANEL

INDEX **28014**
EAN **5905339280145**

		IP				
40 W	LED SMD	20	3000 K	4000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 50W6060NW SR

LED PANEL

INDEX **28019**
EAN **5905339280190**

		IP				
50 W	LED SMD	20	4000 K	5000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO S 50W6060NW W

LED PANEL

INDEX **28018**
EAN **5905339280183**

		IP				
50 W	LED SMD	20	4000 K	5000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



white frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO SU40W6060NW SR

LED PANEL

INDEX **28013**
EAN **5905339280138**

		IP				
40 W	LED SMD	20	4000 K	4000 lm	25000 h	15000

⚡ 220-240V~ / 50/60Hz



silver frame: aluminium alloy / casing: steel sheet / panel: plastic



BRAVO SU40W6060NW W

LED PANEL

INDEX **28012**
EAN **5905339280121**

		IP				ON OFF
40 W	LED SMD	20	4000 K	4000 lm	25000 h	15000
⚡ 220-240V~ / 50/60Hz						
white			frame: aluminium alloy / casing: steel sheet / panel: plastic			



BRAVO S/P GRIP 12030

NT ASSEMBLY HANDLE

INDEX **28501**
EAN **5905339285010**



BRAVO S/P GRIP 60-62

NT ASSEMBLY HANDLE

INDEX **28500**
EAN **5905339285003**



CLIPS BRAVO S/P 12030

MOUNTING BRACKET IS USED FOR BUILDING IN CASINGS BRAVO 12030 IN GYPSUMCARDBOARD SUSPENDED CEILING

INDEX **28503**
EAN **5905339285034**



CLIPS BRAVO S/P 60-62

MOUNTING BRACKET IS USED FOR BUILDING IN CASINGS BRAVO 60-62 IN GYPSUMCARDBOARD

INDEX **28502**
EAN **5905339285027**



SPN BRAVO S/P 12030

STEEL CORD

INDEX **28505**
EAN **5905339285058**



SPN BRAVO S/P 60-62

STEEL CORD

INDEX **28504**
EAN **5905339285041**



BRAVO DRIVER 28W

POWER SUPPLY FOR BRAVO LED PANELS

INDEX **28029**
EAN **5905339280299**

28 W

⚡ 220-240V~ / 50/60Hz

white



BRAVO DRIVER 36W

POWER SUPPLY FOR BRAVO LED PANELS

INDEX **28025**
EAN **5905339280251**

36 W

⚡ 220-240V~ / 50/60Hz

white



BRAVO DRIVER 40W

POWER SUPPLY FOR BRAVO LED PANELS

INDEX **28026**
EAN **5905339280268**

40 W

⚡ 220-240V~ / 50/60Hz

white



BRAVO DRIVER 45W

POWER SUPPLY FOR BRAVO LED PANELS

INDEX **28027**
EAN **5905339280275**

45 W

⚡ 220-240V~ / 50/60Hz

white



BRAVO DRIVER 50W

POWER SUPPLY FOR BRAVO LED PANELS

INDEX **28028**
EAN **5905339280282**

50 W

⚡ 220-240V~ / 50/60Hz

white

LED LIGHT FIXTURES
LED LIGHT FIXTURES



VARSO LED 18W-NW-L-SE

LED LIGHTING FIXTURE WITH MICROWAVE MOTION SENSOR

INDEX **26980**

EAN **5905339269805**

		IP				ON/OFF
18 W	LED SMD	54	4000 K	1700 lm	20 000 h	20000
⚡ 220-240V~ / 50/60Hz						
white	casing: polycarbonate (PC) diffuser: polycarbonate (PC)					



VARSO LED 18W-NW-O-SE

LED LIGHTING FIXTURE WITH MICROWAVE MOTION SENSOR

INDEX **26981**

EAN **5905339269812**

		IP				ON/OFF
18 W	LED SMD	54	4000 K	1700 lm	20 000 h	20000
⚡ 220-240V~ / 50/60Hz						
white	casing: polycarbonate (PC) diffuser: polycarbonate (PC)					



VARSO LED 18W-WW-O-SE

LED LIGHTING FIXTURE WITH MICROWAVE MOTION SENSOR

INDEX **26982**

EAN **5905339269829**

		IP				ON/OFF
18 W	LED SMD	54	3000 K	1620 lm	20 000 h	20000
⚡ 220-240V~ / 50/60Hz						
white	casing: polycarbonate (PC) diffuser: polycarbonate (PC)					



VARSO LED 24W-NW-L-SE

LED LIGHTING FIXTURE WITH MICROWAVE MOTION SENSOR

INDEX **26983**

EAN **5905339269836**

		IP				ON/OFF
24 W	LED SMD	54	4000 K	2280 lm	20 000 h	20000
⚡ 220-240V~ / 50/60Hz						
white	casing: polycarbonate (PC) diffuser: polycarbonate (PC)					



VARSO LED 24W-NW-O-SE

LED LIGHTING FIXTURE WITH MICROWAVE MOTION SENSOR

INDEX **26984**

EAN **5905339269843**

		IP				ON/OFF
24 W	LED SMD	54	4000 K	2280 lm	20 000 h	20000
⚡ 220-240V~ / 50/60Hz						
white	casing: polycarbonate (PC) diffuser: polycarbonate (PC)					



VARSO LED 24W-WW-L

LED LIGHT FIXTURE

INDEX **26446**

EAN **5905339264466**

		IP				ON/OFF
24 W	LED SMD	54	3000 K	2280 lm	20 000 h	20000
⚡ 220-240V~ / 50/60Hz						
white	casing: polycarbonate (PC) diffuser: polycarbonate (PC)					

LED LIGHT FIXTURES
LED LIGHT FIXTURES



ELNER LED 15W-NW-B

LED LIGHT FIXTURE

INDEX **27561**

EAN **5905339275615**

		IP				ON/OFF
15 W	LED SMD	54	4000 K	660 lm	30000 h	20000
⚡ 220-240V~ / 50/60Hz						
black and white	plastic					



ELNER LED 15W-NW-SE-B

LED LIGHT FIXTURE WITH MOVEMENT SENSOR

INDEX **27563**

EAN **5905339275639**

		IP				ON/OFF
15 W	LED SMD	44	4000 K	660 lm	30000 h	20000
⚡ 220-240V~ / 50/60Hz						
black and white	plastic					



ELNER LED 8W-NW-B

LED LIGHT FIXTURE

INDEX **27560**

EAN **5905339275608**

		IP				ON/OFF
8 W	LED SMD	54	4000 K	360 lm	30000 h	20000
⚡ 220-240V~ / 50/60Hz						
black and white	plastic					



ELNER LED 8W-NW-SE-B

LED LIGHT FIXTURE WITH MOVEMENT SENSOR

INDEX **27562**

EAN **5905339275622**

		IP				ON/OFF
8 W	LED SMD	54	4000 K	360 lm	30000 h	20000
⚡ 220-240V~ / 50/60Hz						
black and white	plastic					



HB PRO LED 100W-NW

LED LIGHT FIXTURE

INDEX **27150**

EAN **5905339271501**

		IP				ON/OFF
100 W	LED SMD	65	4000 K	12000 lm	50000 h	25000

⚡ 220-240V- / 50/60Hz



black

casing: aluminium alloy / diffuser: plastic / hook: metal



HB PRO LED 150W-NW

LED LIGHT FIXTURE

INDEX **27151**

EAN **5905339271518**

		IP				ON/OFF
150 W	LED SMD	65	4000 K	18000 lm	50000 h	25000

⚡ 220-240V- / 50/60Hz



black

casing: aluminium alloy / diffuser: plastic / hook: metal



HB REF 15 AL.

LAMP SHADE FOR HB PRO LED

INDEX **27152**

EAN **5905339271525**



HB REF 17 AL.

LAMP SHADE FOR HB PRO LED

INDEX **27153**

EAN **5905339271532**





KRALA LED 45W NW

LED DUSTPROOF LIGHTING FITTING

INDEX **28270**
EAN **5905339282705**

		IP				ON OFF
45 W	LED SMD	65	4000 K	5850 lm	30000 h	25000

⚡ 220-240V~ / 50/60Hz

white



KRALA CORD-2M

STEEL CORD

INDEX **28275**
EAN **5905339282750**



KRALA PLUG-1M

CONNECTING CORD

INDEX **28271**
EAN **5905339282712**



KRALA PP-0,35M

CONNECTOR

INDEX **28274**
EAN **5905339282743**



KRALA PP-1M

CONNECTING CABLE

INDEX **28273**
EAN **5905339282736**



KRALA PR-I

CONNECTING CABLE

INDEX **28272**
EAN **5905339282729**



KRALA SENSOR

MICROWAVE MOVEMENT SENSOR

INDEX **28276**
EAN **5905339282767**



LINER LED 18W-NW

LED LIGHTING FIXTURE

INDEX **27260**
EAN **5905339282606**

		IP	IK				ON OFF
18 W	LED SMD	20	8	4000 K	1600 lm	30000 h	15000

⚡ 220-240V~ / 50/60Hz

white casing, diffuser: polycarbonate



LINER LED 36W-NW

LED LIGHTING FIXTURE

INDEX **27261**
EAN **5905339282613**

		IP	IK				ON OFF
36 W	LED SMD	20	8	4000 K	3200 lm	30000 h	15000

⚡ 220-240V~ / 50/60Hz

white casing, diffuser: polycarbonate



LINER LED 45W-NW

LED LIGHTING FIXTURE

INDEX **27262**
EAN **5905339282620**

		IP	IK				ON OFF
45 W	LED SMD	20	8	4000 K	4000 lm	30000 h	15000

⚡ 220-240V~ / 50/60Hz

white casing, diffuser: polycarbonate

LED LIGHT FIXTURES
LED LIGHT FIXTURES



MEBA 4LED 2X120 OP PS

SERIES LUMINAIRE

INDEX **26964**
EAN **5905339269645**

			IP
2 x max 36W	G13	T8 LED	20

⚡ 220-240V~ / 50/60Hz

white casing: alloy of ferrous metals, diffuser: plastic



MEBA 4LED 2X120 PS

SERIES LUMINAIRE

INDEX **26961**
EAN **5905339269614**

⚡ 220-240V~ / 50/60Hz

white

casing: alloy of ferrous metals, diffuser: plastic

⌚ 2 x max 36W
G13 T8 LED 20



MEBA 4LED 2X150 OP PS

SERIES LUMINAIRE

INDEX **26965**
EAN **5905339269652**

⚡ 220-240V~ / 50/60Hz

white

casing: alloy of ferrous metals, diffuser: plastic

⌚ 2 x max 58W
G13 T8 LED 20



MEBA 4LED 2X150 PS

SERIES LUMINAIRE

INDEX **26962**
EAN **5905339269621**

⚡ 220-240V~ / 50/60Hz

white

casing: alloy of ferrous metals, diffuser: plastic

⌚ 2 x max 58W
G13 T8 LED 20



MEBA 4LED 2X60 OP PS

SERIES LUMINAIRE

INDEX **26963**
EAN **5905339269638**

⚡ 220-240V~ / 50/60Hz

white

⌚ 2 x max 18W
G13 T8 LED 20



MEBA 4LED 2X60 PS

SERIES LUMINAIRE

INDEX **26960**
EAN **5905339269607**

⚡ 220-240V~ / 50/60Hz

white

⌚ 2 x max 18W
G13 T8 LED 20



STREET LED 4000 NW

LED LIGHT FIXTURE

INDEX **27330**
EAN **5905339273307**

⚡ 220-240V~ / 50/60Hz

gray

casing: aluminium alloy / diffuser: plastic

⌚ 30 W
LED SMD
IP 65
4000 K
3900 lm
35000 h
ON/OFF 20000



STREET LED 8000 NW

LED LIGHT FIXTURE

INDEX **27331**
EAN **5905339273314**

⚡ 220-240V~ / 50/60Hz

gray

casing: aluminium alloy / diffuser: plastic

⌚ 60 W
LED SMD
IP 65
4000 K
7800 lm
35000 h
ON/OFF 20000



STREET LED 12000 NW

LED LIGHT FIXTURE

INDEX **27332**
EAN **5905339273321**

⚡ 220-240V~ / 50/60Hz

gray

casing: aluminium alloy / diffuser: plastic

⌚ 90 W
LED SMD
IP 65
4000 K
11700 lm
35000 h
ON/OFF 20000



STREET LED ADTR 15D

ADAPTER

INDEX **27333**
EAN **5905339273338**

gray

casing: aluminium alloy / diffuser: plastic



FL MASTER LED 100W-NW

LED FLOODLIGHT

INDEX **28490**
EAN **5905339284907**

		IP	IK				ON OFF
100 W	LED SMD	65	08	4000 K	13 000 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz							
black	casing: aluminium alloy						



FL MASTER LED 150W-NW

LED FLOODLIGHT

INDEX **28491**
EAN **5905339284914**

		IP	IK				ON OFF
150 W	LED SMD	65	08	4000 K	19 500 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz							
black	casing: aluminium alloy						



FL MASTER LED 240W-NW

LED FLOODLIGHT

INDEX **28492**
EAN **5905339284921**

		IP	IK				ON OFF
240 W	LED SMD	65	08	4000 K	31 200 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz							
black	casing: aluminium alloy						



FLM LED 100W-NW-60D

LED FLOODLIGHT

INDEX **28520**
EAN **5905339285201**

		IP	IK				ON OFF
100 W	LED SMD	65	08	4000 K	13 000 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz		beam angle 60					
black	casing: aluminium alloy						



FLM LED 150W-NW-60D

LED FLOODLIGHT

INDEX **28522**
EAN **5905339285225**

		IP	IK				ON OFF
150 W	LED SMD	65	08	4000 K	19 500 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz		beam angle 60					
black	casing: aluminium alloy						



FLM LED 240W-NW-60D

LED FLOODLIGHT

INDEX **28524**
EAN **5905339285249**

		IP	IK				ON OFF
240 W	LED SMD	65	08	4000 K	31 200 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz		beam angle 60					
black	casing: aluminium alloy						



FLM LED100W-NW80/150D

LED FLOODLIGHT

INDEX **28521**
EAN **5905339285218**

		IP	IK				ON OFF
100 W	LED SMD	65	08	4000 K	13 000 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz		beam angle x=80, y=150					
black	casing: aluminium alloy						



FLM LED150W-NW80/150D

LED FLOODLIGHT

INDEX **28523**
EAN **5905339285232**

		IP	IK				ON OFF
150 W	LED SMD	65	08	4000 K	19 500 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz		beam angle x=80, y=150					
	casing: aluminium alloy						



FLM LED240W-NW80/150D

LED FLOODLIGHT

INDEX **28525**
EAN **5905339285256**

		IP	IK				ON OFF
240 W	LED SMD	65	08	4000 K	31 200 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz		beam angle x=80, y=150					
	casing: aluminium alloy						



HB MASTER LED 100W

LED LIGHT FIXTURE

INDEX **28530**
EAN **5905339285300**

		IP	IK				ON OFF
100 W	LED SMD	65	08	4000 K	13 000 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz							
black	casing: aluminium alloy / diffuser: glass						



HB MASTER LED 150W

LED LIGHT FIXTURE

INDEX **28531**
EAN **5905339285317**

		IP	IK				ON OFF
150 W	LED SMD	65	08	4000 K	19 500 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz							
black	casing: aluminium alloy / diffuser: glass						



HB MASTER LED 200W

LED LIGHT FIXTURE

INDEX **28532**
EAN **5905339285324**

		IP	IK				ON OFF
200 W	LED SMD	65	08	4000 K	26 000 lm	50 000 h	15 000
⚡ 220-240V~ / 50/60Hz							
black	casing: aluminium alloy / diffuser: glass						



HBM BRACKET 100/150W

HANDLE FOR HB MASTER


INDEX **28543**
EAN **5905339285430**



HBM BRACKET 200W

HANDLE FOR HB MASTER

INDEX **28544**
EAN **5905339285447**



HBM GRID 100/150W

PROTECTIVE NET FOR HB MASTER

INDEX **28545**
EAN **5905339285454**



HBM GRID 200W

PROTECTIVE NET FOR HB MASTER

INDEX **28546**
EAN **5905339285461**



HBM LENS 60D 100/150W

LENS FOR HB MASTER

INDEX **28537**
EAN **5905339285379**



HBM LENS 60D 200W

LENS FOR HB MASTER

INDEX **28540**
EAN **5905339285409**



HBM LENS 90D 100/150W

LENS FOR HB MASTER

INDEX **28538**
EAN **5905339285386**



HBM LENS 90D 200W

LENS FOR HB MASTER

INDEX **28541**
EAN **5905339285416**



HBM PC 100D 100/150W

COVER FOR HB MASTER - IK10

INDEX **28539**
EAN **5905339285393**



HBM PC 100D 200W

COVER FOR HB MASTER - IK10

INDEX **28542**
EAN **5905339285423**



HBM REF ALU100/150W

DUFFUSER FOR HB MASTER

INDEX **28533**
EAN **5905339285331**



HBM REF ALU200W

DUFFUSER FOR HB MASTER

INDEX **28534**
EAN **5905339285348**



HBM REF PC100/150W

DUFFUSER FOR HB MASTER

INDEX **28535**
EAN **5905339285355**



HBM REF PC200W

DUFFUSER FOR HB MASTER

INDEX **28536**
EAN **5905339285362**

NEW PRODUCTS
AUTUMN
2018



DOMESTIC
LIGHTING

PENDANT LAMPS
PENDANT LAMPS



ETISSA D20 GR

PENDANT LAMP

INDEX **27000**

EAN **5905339270009**

		IP
max 40W	E27	GLS/LED
20		
	220-240V- 50/60 Hz	
grey	casing: mass similar to concrete	



OGIVA D35 GR

PENDANT LAMP

INDEX **27001**

EAN **5905339270016**

		IP
max 40W	E27	GLS/LED
20		
	220-240V- 50/60 Hz	
grey	casing: mass similar to concrete	



ALGO GU10 PL-B

PENDANT LAMP

INDEX **27036**

EAN **5905339270368**

			IP
max 40W	GU10	JDR	20
	220-240V- 50/60 Hz		
black	casing: aluminum casting		



ALGO GU10 PL-GR

PENDANT LAMP

INDEX **27037**

EAN **5905339270375**

			IP
max 40W	GU10	JDR	20
	220-240V- 50/60 Hz		
grey	casing: aluminum casting		



ALGO GU10 PL-W

PENDANT LAMP

INDEX **27038**

EAN **5905339270382**

			IP
max 40W	GU10	JDR	20
	220-240V- 50/60 Hz		
white	casing: aluminum casting		



ALGO GU10 PO-B

PENDANT LAMP

INDEX **27039**

EAN **5905339270399**

			IP
max 40W	GU10	JDR	20
	220-240V- 50/60 Hz		
black	casing: aluminum casting		



ALGO GU10 PO-GR

PENDANT LAMP

INDEX **27040**

EAN **5905339270405**

			IP
max 40W	GU10	JDR	20
	220-240V- 50/60 Hz		
grey	casing: aluminum casting		



ALGO GU10 PO-W

PENDANT LAMP

INDEX **27041**

EAN **5905339270412**

			IP
max 40W	GU10	JDR	20
	220-240V- 50/60 Hz		
white	casing: aluminum casting		

CEILING SPOTLIGHT FIXTURE
CEILING SPOTLIGHT FIXTURE



RITI GU10 W/G

CEILING SPOTLIGHT FIXTURE

INDEX **27570**

EAN **5905339275707**

			IP
max 25W	GU10	JDR	20
	220-240V- 50/60 Hz		
white and gold	casing: aluminium alloy		



RITI GU10 B/G

CEILING SPOTLIGHT FIXTURE

INDEX **27571**

EAN **5905339275714**

			IP
max 25W	GU10	JDR	20
	220-240V- 50/60 Hz		
black and gold	casing: aluminium alloy		



ALGO GU10 CL-B

CEILING SPOTLIGHT FIXTURE

INDEX **27030**
EAN **5905339270306**

				IP
	max 40W	GU10	JDR	20
	⚡ 220-240V~ 50/60 Hz			
black	casing: aluminum casting			



ALGO GU10 CL-GR

CEILING SPOTLIGHT FIXTURE

INDEX **27031**
EAN **5905339270313**

				IP
	max 40W	GU10	JDR	20
	⚡ 220-240V~ 50/60 Hz			
grey	casing: aluminum casting			



ALGO GU10 CL-W

CEILING SPOTLIGHT FIXTURE

INDEX **27032**
EAN **5905339270320**

				IP
	max 40W	GU10	JDR	20
	⚡ 220-240V~ 50/60 Hz			
white	casing: aluminum casting			



ALGO GU10 CO-B

CEILING SPOTLIGHT FIXTURE

INDEX **27033**
EAN **5905339270337**

				IP
	max 40W	GU10	JDR	20
	⚡ 220-240V~ 50/60 Hz			
black	casing: aluminum casting			



ALGO GU10 CO-GR

CEILING SPOTLIGHT FIXTURE

INDEX **27034**
EAN **5905339270344**

				IP
	max 40W	GU10	JDR	20
	⚡ 220-240V~ 50/60 Hz			
grey	casing: aluminum casting			



ALGO GU10 CO-W

CEILING SPOTLIGHT FIXTURE

INDEX **27035**
EAN **5905339270351**

				IP
	max 40W	GU10	JDR	20
	⚡ 220-240V~ 50/60 Hz			
white	casing: aluminum casting			



ASIL G9 C-B

CEILING LAMP

INDEX **27023**
EAN **5905339270238**

				IP
	max 40W	G9	GLS/LED	20
	⚡ 220-240V~ 50/60 Hz			
black	casing: aluminium			



ASIL G9 C-GR

CEILING LAMP

INDEX **27024**
EAN **5905339270245**

				IP
	max 40W	G9	GLS/LED	20
	⚡ 220-240V~ 50/60 Hz			
grey	casing: aluminium			



ASIL G9 C-W

CEILING LAMP

INDEX **27025**
EAN **5905339270252**

				IP
	max 40W	G9	GLS/LED	20
	⚡ 220-240V~ 50/60 Hz			
white	casing: aluminium			

WALL LAMP
WALL LAMP



ASIL G9 W-B

WALL LAMP

INDEX **27020**
EAN **5905339270207**

				IP
	max 40W	G9	GLS/LED	20
	⚡ 220-240V~ 50/60 Hz			
black	casing: aluminium			



ASIL G9 W-GR

WALL LAMP

INDEX **27021**
EAN **5905339270214**

				IP
	max 40W	G9	GLS/LED	20
	⚡ 220-240V~ 50/60 Hz			
grey	casing: aluminium			



ASIL G9 W-W

WALL LAMP

INDEX **27022**
EAN **5905339270221**

⚡ 220-240V~ 50/60 Hz

white casing: aluminium



max 40W G9 GLS/LED 20



KASSI G9 L-W

WALL LAMP

INDEX **27010**
EAN **5905339270108**

⚡ 220-240V~ 50/60 Hz

white casing: aluminium / glass



max 40W G9 GLS/LED 20



KASSI G9 O-W

WALL LAMP

INDEX **27011**
EAN **5905339270115**

⚡ 220-240V~ 50/60 Hz

white casing: aluminium / glass



max 40W G9 GLS/LED 20



DECORATIVE RINGS
DECORATIVE RINGS



MORTA AR/ES O-SR

DECORATIVE RING

INDEX **27960**
EAN **5905339279606**

⚡ 12V / 220-240V~
no socket included

silver casing: glass, aluminium alloy



max 20 W G53/GU10 AR-111/ES-111 20



20° 20°



MORTA AR/ES O-B

DECORATIVE RING

INDEX **27961**
EAN **5905339279613**

⚡ 12V / 220-240V~
no socket included

black casing: glass, aluminium alloy



max 20 W G53/GU10 AR-111/ES-111 20



20° 20°



MORTA AR/ES L-SR

DECORATIVE RING

INDEX **27962**
EAN **5905339279620**

⚡ 12V / 220-240V~
no socket included

silver casing: glass, aluminium alloy



max 20 W G53/GU10 AR-111/ES-111 20



20° 20°



MORTA AR/ES L-B

DECORATIVE RING

INDEX **27963**
EAN **5905339279637**

⚡ 12V / 220-240V~
no socket included

black casing: glass, aluminium alloy



max 20 W G53/GU10 AR-111/ES-111 20



20° 20°



ALREN R DTL-B

DECORATIVE RING

INDEX **26757**
EAN **5905339267573**

⚡ 12V / 220-240V~
no socket included

black casing: aluminium alloy



max 35 W G53/GU10 MR-16/JDR 20



60° 60°



ALREN R DTL-W

DECORATIVE RING

INDEX **26758**
EAN **5905339267580**

⚡ 12V / 220-240V~
no socket included

white casing: aluminium alloy



max 35 W G53/GU10 MR-16/JDR 20



60° 60°



CEMIN DTL-GR

DECORATIVE RING

INDEX **27230**
EAN **5905339272300**

⚡ 12V / 220-240V~
no socket included

white casing: mass similar to concrete








max 35 W G53/GU10 MR-16/JDR 20










30°



	ELNIS S W	
	DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
	INDEX 27800	 12V / 220-240V~
	EAN 5905339278005	no socket included  
	white	casing: aluminum casing alloy





	ELNIS S W/A	
	DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
	INDEX 27801	 12V / 220-240V~
	EAN 5905339278012	no socket included  
	white / anthracite	casing: aluminum casing alloy

	ELNIS S A/W	
	DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
	INDEX 27802	 12V / 220-240V~
	EAN 5905339278029	no socket included  
	anthracite / white	casing: aluminum casing alloy





	ELNIS S A/C	
	DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
	INDEX 27803	 12V / 220-240V~
	EAN 5905339278036	no socket included  
	anthracite / chrome	casing: aluminum casing alloy

	ELNIS L W	
	DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
	INDEX 27804	 12V / 220-240V~
	EAN 5905339278043	no socket included  
	white	casing: aluminum casing alloy







ELNIS L W/A	
DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
INDEX 27805	 12V / 220-240V~
EAN 5905339278050	no socket included  
white / anthracite	casing: aluminum casing alloy







ELNIS L W/C	
DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
INDEX 27806	 12V / 220-240V~
EAN 5905339278067	no socket included  
white / chrome	casing: aluminum casing alloy



ELNIS L A/W	
DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
INDEX 27807	 12V / 220-240V~
EAN 5905339278074	no socket included  
anthracite / white	casing: aluminum casing alloy







ELNIS L A/C	
DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
INDEX 27808	 12V / 220-240V~
EAN 5905339278081	no socket included  
anthracite / chrome	casing: aluminum casing alloy







ELNIS L A	
DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
INDEX 27809	 12V / 220-240V~
EAN 5905339278098	no socket included  
anthracite	casing: aluminum casing alloy



ELNIS L B/G	
DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
INDEX 27810	 12V / 220-240V~
EAN 5905339278104	no socket included  
black / gold	casing: aluminum casing alloy



ELNIS L C/W	
DECORATIVE RING	max 35 W Gx53/GU10 MR-16/JDR 20
INDEX 27811	 12V / 220-240V~
EAN 5905339278111	no socket included  
chrome / white	casing: aluminum casing alloy



ELNIS L C/A

DECORATIVE RING

INDEX **27812**

EAN **5905339278128**

⚡ 12V / 220-240V~
no socket included

chrome / anthracite casing: aluminum casing alloy

⌚ max 35 W Gx53/GU10 MR-16/JDR 20



SPAG C B/G

DECORATIVE RING

INDEX **27324**

EAN **5905339273246**

⚡ 12V / 220-240V~
no socket included

black-gold casing: aluminum casing alloy

⌚ max 35 W Gx53/GU10 MR-16/JDR 20



SPAG C W/G

DECORATIVE RING

INDEX **27325**

EAN **5905339273253**

⚡ 12V / 220-240V~
no socket included

white-gold casing: aluminum casing alloy

⌚ max 35 W Gx53/GU10 MR-16/JDR 20



SPAG D B/G

DECORATIVE RING

INDEX **27326**

EAN **5905339273260**

⚡ 12V / 220-240V~
no socket included

black-gold casing: aluminum casing alloy

⌚ max 35 W Gx53/GU10 MR-16/JDR 20



SPAG D W/G

DECORATIVE RING

INDEX **27327**

EAN **5905339273277**

⚡ 12V / 220-240V~
no socket included

white-gold casing: aluminum casing alloy

⌚ max 35 W Gx53/GU10 MR-16/JDR 20



SPAG L B/G

DECORATIVE RING

INDEX **27320**

EAN **5905339273208**

⚡ 12V / 220-240V~
no socket included

black-gold casing: aluminum casing alloy

⌚ max 35 W Gx53/GU10 MR-16/JDR 20



SPAG L W/G

DECORATIVE RING

INDEX **27321**

EAN **5905339273215**

⚡ 12V / 220-240V~
no socket included

white-gold casing: aluminum casing alloy

⌚ max 35 W Gx53/GU10 MR-16/JDR 20



SPAG S B/G

DECORATIVE RING

INDEX **27322**

EAN **5905339273222**

⚡ 12V / 220-240V~
no socket included

black-gold casing: aluminum casing alloy

⌚ max 35 W Gx53/GU10 MR-16/JDR 20



SPAG S W/G

DECORATIVE RING

INDEX **27323**

EAN **5905339273239**

⚡ 12V / 220-240V~
no socket included

white-gold casing: aluminum casing alloy

⌚ max 35 W Gx53/GU10 MR-16/JDR 20



LED DESK LAMPS

LED DESK LAMPS



HERON LED B

LED DESK LAMP

INDEX **27600**

EAN **5905339276001**

⚡ 220-240V~ 50/60 Hz

black metal, plastic, aluminum alloy

⌚ 5 W LED SMD 20 400 lm 4000 K 20000 h 15000 ON/OFF



HERON LED W

LED DESK LAMP

INDEX **27601**

EAN **5905339276018**

⚡ 220-240V~ 50/60 Hz

white metal, plastic, aluminum alloy

⌚ 5 W LED SMD 20 400 lm 4000 K 20000 h 15000 ON/OFF





ISTI LED W

LED DESK LAMP

INDEX **27360**

EAN **5905339273604**

		IP				
max 9W	LED SMD	20	max 600 lm	2700-6500 K	20000 h	15000
⚡ 220-240V- 50/60 Hz						
Possibility of dimming only by an internal electronic system. Equipped with a touch switch.						
white	casing: plastic					



ISTI LED B

LED DESK LAMP

INDEX **27361**

EAN **5905339273611**

		IP				
max 9W	LED SMD	20	max 600 lm	2700-6500 K	20000 h	15000
⚡ 220-240V- 50/60 Hz						
Possibility of dimming only by an internal electronic system. Equipped with a touch switch.						
black	casing: plastic					



SARI LED B-CH

LED DESK LAMP

INDEX **27980**

EAN **5905339279804**

		IP				
5 W	LED SMD	20	270 lm	3000 K	20000 h	15000
⚡ 220-240V- 50/60 Hz						
black/champagne	plastic					



SARI LED B-SR

LED DESK LAMP

INDEX **27981**

EAN **5905339279811**

		IP				
5 W	LED SMD	20	270 lm	3000 K	20000 h	15000
⚡ 220-240V- 50/60 Hz						
black/silver	plastic					



SARI LED W-SR

LED DESK LAMP

INDEX **27982**

EAN **5905339279828**

		IP				
5 W	LED SMD	20	270 lm	3000 K	20000 h	15000
⚡ 220-240V- 50/60 Hz						
white/silver	plastic					

LED LIGHTING FIXTURE WITH A MOVEMENT SENSOR
LED LIGHTING FIXTURE WITH A MOVEMENT SENSOR



APUS LED PIR WW

LED LIGHTING FIXTURE WITH A MOVEMENT SENSOR

INDEX **27370**

EAN **5905339273703**

		IP				
0,8 W	LED SMD	20	13 lm	3000 K	50000 h	20000
⚡ 12V DC						
brushed aluminium	casing: ground stainless steel					



APUS LED PIR CW

LED LIGHTING FIXTURE WITH A MOVEMENT SENSOR

INDEX **27371**

EAN **5905339273710**

		IP				
0,8 W	LED SMD	20	15 lm	6500 K	50000 h	20000
⚡ 12V DC						
brushed aluminium	casing: ground stainless steel					



TERRA LED PIR WW

LED LIGHTING FIXTURE WITH A MOVEMENT SENSOR

INDEX **27372**

EAN **5905339273727**

		IP				
0,8 W	LED SMD	20	13 lm	3000 K	50000 h	20000
⚡ 12V DC						
brushed aluminium	casing: ground stainless steel					



TERRA LED PIR CW

LED LIGHTING FIXTURE WITH A MOVEMENT SENSOR

INDEX **27373**

EAN **5905339273734**

		IP				
0,8 W	LED SMD	20	15 lm	6500K	50000 h	20000
⚡ 12V DC						
brushed aluminium	casing: ground stainless steel					



SABIK LED PIR WW

LED LIGHTING FIXTURE WITH A MOVEMENT SENSOR

INDEX **27374**

EAN **5905339273741**

		IP				
0,8 W	LED SMD	20	13 lm	3000K	50000 h	20000
⚡ 12V DC						
brushed aluminium	casing: ground stainless steel					



SABIK LED PIR CW

LED LIGHTING FIXTURE WITH A MOVEMENT SENSOR

INDEX **27375**

EAN **5905339273758**

		IP				
0,8 W	LED SMD	20	15 lm	6500 K	50000 h	20000
⚡ 12V DC						
brushed aluminium	casing: ground stainless steel					



PESSA LED IP44 9W-WW

LED BATHROOM FIXTURE

INDEX **27530**
EAN **5905339275301**



9 W LED SMD 44 700 lm 3000 K 20000 h 15000

⚡ 220-240V- 50/60 Hz  

white casing: aluminium alloy / diffuser: plastic



PESSA LED IP44 9W-NW

LED BATHROOM FIXTURE

INDEX **27531**
EAN **5905339275318**



9 W LED SMD 44 700 lm 4000 K 20000 h 15000

⚡ 220-240V- 50/60 Hz  

white casing: aluminium alloy / diffuser: plastic



PESSA LED IP44 17W-WW

LED BATHROOM FIXTURE

INDEX **27532**
EAN **5905339275325**



17 W LED SMD 44 1400 lm 3000 K 20000 h 15000

⚡ 220-240V- 50/60 Hz  

white casing: aluminium alloy / diffuser: plastic



PESSA LED IP44 17W-NW

LED BATHROOM FIXTURE

INDEX **27533**
EAN **5905339275332**



17 W LED SMD 44 1400 lm 4000 K 20000 h 15000

⚡ 220-240V- 50/60 Hz  

white casing: aluminium alloy / diffuser: plastic



NEW PRODUCTS
AUTUMN
2018



WIRING
ACCESSORIES

EMERGENCY LED FIXTURES

EMERGENCY LED FIXTURES



ITECH F2 105 M ST W

EMERGENCY LED FIXTURE

IP

220-240V~; 50/60Hz 5 W 212 lm 65



INDEX **27383**

EAN **5902052505760**

white

plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs
the light fixture is provided with electronic safety features for protection against battery discharge
dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ITECH M2 302 AT

EMERGENCY LED FIXTURE

IP

220-240V~; 50/60Hz 2 W 245 lm 65



INDEX **27050**

EAN **5902052504749**

white

plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs
the light fixture is provided with electronic safety features for protection against battery discharge
dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ITECH M2 302 M ST W

EMERGENCY LED FIXTURE

IP

220-240V~; 50/60Hz 2 W 245 lm 65



INDEX **27380**

EAN **5902052504626**

white

plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs
the light fixture is provided with electronic safety features for protection against battery discharge
dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ITECH C1 302 M ST W

EMERGENCY LED FIXTURE

IP

220-240V~; 50/60Hz 2 W 215 lm 65



INDEX **27382**

EAN **5902052505463**

white

plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs
the light fixture is provided with electronic safety features for protection against battery discharge
dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ITECH M5 105 M ST W

EMERGENCY LED FIXTURE

IP

220-240V~; 50/60Hz 5 W 223 lm 65



INDEX **27381**

EAN **5902052504688**

white

plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs
the light fixture is provided with electronic safety features for protection against battery discharge
dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ITECH C1 302 M AT W

EMERGENCY LED FIXTURE

IP

220-240V~; 50/60Hz 2 W 215 lm 65



INDEX **27053**

EAN **5902052505586**

white

plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs
the light fixture is provided with electronic safety features for protection against battery discharge
dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ITECH F1 302 MAT W

EMERGENCY LED FIXTURE

IP

220-240V~; 50/60Hz 2 W 244 lm 65



INDEX **27635**

EAN **5902052505821**

white

plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs
the light fixture is provided with electronic safety features for protection against battery discharge
dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ITECHF2105MATW
EMERGENCY LED FIXTURE

220-240V~; 50/60Hz	5 W	212 lm	65	IP
-----------------------	-----	--------	----	-----------

INDEX **27638**
EAN **5902052505883**

white
plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs
the light fixture is provided with electronic safety features for protection against battery discharge
dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ITECHM5105MATW
EMERGENCY LED FIXTURE

220-240V~; 50/60Hz	5 W	223 lm	65	IP
-----------------------	-----	--------	----	-----------

INDEX **27622**
EAN **5902052504800**

white
plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs
the light fixture is provided with electronic safety features for protection against battery discharge
dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ONTECRC1102MAT/W
EMERGENCY LED FIXTURE

220-240V~; 50/60Hz	1W	300 lm	5000 K	20	IP
-----------------------	----	--------	--------	----	-----------

INDEX **27738**
EAN **5902052558650**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 hour



ONTECRM2102MAT/W
EMERGENCY LED FIXTURE

220-240V~; 50/60Hz	1W	261 lm	5000 K	20	IP
-----------------------	----	--------	--------	----	-----------

INDEX **27730**
EAN **5902052556816**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 hour



ONTEC R C1 102 M ST/W
EMERGENCY LED FIXTURE

220-240V~; 50/60Hz	2 W	223 lm	5000 K	20	IP
-----------------------	-----	--------	--------	----	-----------

INDEX **27392**
EAN **5902052558599**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ONTEC R C1 302 M ST/W
EMERGENCY LED FIXTURE

220-240V~; 50/60Hz	2 W	223 lm	5000 K	20	IP
-----------------------	-----	--------	--------	----	-----------

INDEX **27393**
EAN **5902052558605**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ONTEC R M2 102 M ST/W
EMERGENCY LED FIXTURE

220-240V~; 50/60Hz	2 W	261 lm	5000 K	20	IP
-----------------------	-----	--------	--------	----	-----------

INDEX **27390**
EAN **5902052556755**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ONTEC S M1 301 M AT W

EMERGENCY LED FIXTURE

				IP
220-240V~; 50/60Hz	1 W	128 lm	5000 K	65



INDEX **27054**
EAN **5902052500963**

white
plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs / the light fixture is provided with electronic safety features for protection against battery discharge dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ONTEC S M2 102 M AT C

EMERGENCY LED FIXTURE

				IP
220-240V~; 50/60Hz	2 W	218 lm	5000 K	65



INDEX **27057**
EAN **5902052501021**

white
plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs / the light fixture is provided with electronic safety features for protection against battery discharge dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ONTEC S W1 302 M COLD AT W

EMERGENCY LED FIXTURE

				IP
220-240V~; 50/60Hz	2 W	185 lm	5000 K	65



INDEX **25436**
EAN **5902052503063**

white
plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs / the light fixture is provided with electronic safety features for protection against battery discharge dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ONTEC S W1 302 M COLD ST

EMERGENCY LED FIXTURE

				IP
220-240V~; 50/60Hz	2 W	185 lm	5000 K	65



INDEX **27895**
EAN **5902052502943**

white
plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs / the light fixture is provided with electronic safety features for protection against battery discharge dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ONTECCC1102MAT/W

EMERGENCY LED FIXTURE

				IP
220-240V~; 50/60Hz	2 W	185 lm	5000 K	65



INDEX **27684**
EAN **5902052557554**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 hour



ONTECCC1102MST/W

EMERGENCY LED FIXTURE

				IP
220-240V~; 50/60Hz	2 W	185 lm	5000 K	20



INDEX **27902**
EAN **5902052557493**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 hour



ONTECCM2102MAT/W

EMERGENCY LED FIXTURE

				IP
220-240V~; 50/60Hz	2 W	261 lm	5000 K	20



INDEX **27672**
EAN **5902052556090**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 hour



ONTECCM2102MST/W

EMERGENCY LED FIXTURE

				IP
220-240V~; 50/60Hz	2 W	261 lm	5000 K	20



INDEX **27838**
EAN **5902052556038**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 hour



EMERGENCY EXIT SIGN
EMERGENCY
EXIT SIGN



ONTEC G AT005 301
EMERGENCY LED FIXTURE

⚡ ⌚ 💡 🔦 **IP**
220-240V~; 50/60Hz 1 W ≥300 lm 5000 K 20



INDEX **25435**
EAN **5902052559732**

white
plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs / the light fixture is provided with electronic safety features for protection against battery discharge dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 or 3 hours



ONTEC G E1B 101 M ST/W
EMERGENCY LED FIXTURE

⚡ ⌚ 💡 🔦 **IP**
220-240V~; 50/60Hz 1 W ≥ 300 lm 5000 K 20



INDEX **27394**
EAN **5902052559688**

white
plastic

battery charging time 24 h
light fixtures can be provided with PICTO emergency exit signs / the light fixture is provided with electronic safety features for protection against battery discharge dual-purpose emergency light fixture, operates in mains supply / and emergency modes, working time in emergency mode 1 or 3 hours



ONTECGE1B101MAT/W
EMERGENCY LED FIXTURE

⚡ ⌚ 💡 🔦 **IP**
220-240V~; 50/60Hz 1W 300 lm 5000 K 20



INDEX **27750**
EAN **5902052559725**

white
plastic

battery charging time 24 h / the light fixture is provided with electronic safety features for protection against battery discharge / dual-purpose emergency light fixture, operates in mains supply and emergency modes, working time in emergency mode 1 hour



PICTO ONTEC G TMP1
EMERGENCY EXIT SIGN

INDEX **27480**
EAN **5905339274809**



PICTO ONTEC G TMP10
EMERGENCY EXIT SIGN

INDEX **27487**
EAN **5905339274878**



PICTO ONTEC G TMP11
EMERGENCY EXIT SIGN

INDEX **27488**
EAN **5905339274885**



PICTO ONTEC G TMP12
EMERGENCY EXIT SIGN

INDEX **27489**
EAN **5905339274892**



PICTO ONTEC G TMP13
EMERGENCY EXIT SIGN

INDEX **27490**
EAN **5905339274908**



PICTO ONTEC G TMP14
EMERGENCY EXIT SIGN

INDEX **27491**
EAN **5905339274915**



PICTO ONTEC G TMP15
EMERGENCY EXIT SIGN

INDEX **27492**
EAN **5905339274922**



PICTO ONTEC G TMP16
EMERGENCY EXIT SIGN

INDEX **27493**
EAN **5905339274939**



PICTO ONTEC G TMP17
EMERGENCY EXIT SIGN

INDEX **27494**
EAN **5905339274946**



PICTO ONTEC G TMP18
EMERGENCY EXIT SIGN

INDEX **27495**
EAN **5905339274953**



PICTO ONTEC G TMP2
EMERGENCY EXIT SIGN

INDEX **27481**
EAN **5905339274816**



PICTO ONTEC G TMP21
EMERGENCY EXIT SIGN

INDEX **27496**
EAN **5905339274960**



PICTO ONTEC G TMP22
EMERGENCY EXIT SIGN

INDEX **27497**
EAN **5905339274977**



PICTO ONTEC G TMP23
EMERGENCY EXIT SIGN

INDEX **27498**
EAN **5905339274984**



PICTO ONTEC G TMP5
EMERGENCY EXIT SIGN

INDEX **27482**
EAN **5905339274823**



PICTO ONTEC G TMP50
EMERGENCY EXIT SIGN

INDEX **27501**
EAN **5905339275011**



PICTO ONTEC G TMP51
EMERGENCY EXIT SIGN

INDEX **27502**
EAN **5905339275028**



PICTO ONTEC G TMP6
EMERGENCY EXIT SIGN

INDEX **27483**
EAN **5905339274830**



PICTO ONTEC G TMP67
EMERGENCY EXIT SIGN

INDEX **27499**
EAN **5905339274991**



PICTO ONTEC G TMP68
EMERGENCY EXIT SIGN

INDEX **27500**
EAN **5905339275004**



PICTO ONTEC G TMP7
EMERGENCY EXIT SIGN

INDEX **27484**
EAN **5905339274847**



PICTO ONTEC G TMP8
EMERGENCY EXIT SIGN

INDEX **27485**
EAN **5905339274854**



PICTO ONTEC G TMP9
EMERGENCY EXIT SIGN

INDEX **27486**
EAN **5905339274861**



PICTO ONTEC S TMP1
EMERGENCY EXIT SIGN

INDEX **27503**
EAN **5905339275035**



PICTO ONTEC S TMP10
EMERGENCY EXIT SIGN

INDEX **27510**
EAN **5905339275103**



PICTO ONTEC S TMP11
EMERGENCY EXIT SIGN

INDEX **27511**
EAN **5905339275110**



PICTO ONTEC S TMP12
EMERGENCY EXIT SIGN

INDEX **27512**
EAN **5905339275127**



PICTO ONTEC S TMP13
EMERGENCY EXIT SIGN

INDEX **27513**
EAN **5905339275134**



PICTO ONTEC S TMP14
EMERGENCY EXIT SIGN

INDEX **27514**
EAN **5905339275141**



PICTO ONTEC S TMP15
EMERGENCY EXIT SIGN

INDEX **27515**
EAN **5905339275158**



PICTO ONTEC S TMP16
EMERGENCY EXIT SIGN

INDEX **27516**
EAN **5905339275165**



PICTO ONTEC S TMP17
EMERGENCY EXIT SIGN

INDEX **27517**
EAN **5905339275172**



PICTO ONTEC S TMP18
EMERGENCY EXIT SIGN

INDEX **27518**
EAN **5905339275189**



PICTO ONTEC S TMP2
EMERGENCY EXIT SIGN

INDEX **27504**
EAN **5905339275042**



PICTO ONTEC S TMP21
EMERGENCY EXIT SIGN

INDEX **27519**
EAN **5905339275196**



PICTO ONTEC S TMP51
EMERGENCY EXIT SIGN

INDEX **27525**
EAN **5905339275257**



PICTO ONTEC S TMP22
EMERGENCY EXIT SIGN

INDEX **27520**
EAN **5905339275202**



PICTO ONTEC S TMP6
EMERGENCY EXIT SIGN

INDEX **27506**
EAN **5905339275066**



PICTO ONTEC S TMP23
EMERGENCY EXIT SIGN

INDEX **27521**
EAN **5905339275219**



PICTO ONTEC S TMP6
EMERGENCY EXIT SIGN

INDEX **27522**
EAN **5905339275226**



PICTO ONTEC S TMP5
EMERGENCY EXIT SIGN

INDEX **27505**
EAN **5905339275059**



PICTO ONTEC S TMP68
EMERGENCY EXIT SIGN

INDEX **27523**
EAN **5905339275233**



PICTO ONTEC S TMP50
EMERGENCY EXIT SIGN

INDEX **27524**
EAN **5905339275240**



PICTO ONTEC S TMP7
EMERGENCY EXIT SIGN

INDEX **27507**
EAN **5905339275073**



PICTO ONTEC S TMP8
EMERGENCY EXIT SIGN

INDEX **27508**
EAN **5905339275080**



PICTO ONTEC S TMP9
EMERGENCY EXIT SIGN

INDEX **27509**
EAN **5905339275097**

EMERGENCY MODULES
**EMERGENCY
MODULES**



VIP PRO 180I
EMERGENCY MODULE

INDEX **27402**
EAN **5902052504206**



ZEST.MONT.FLAGI
MOUNTING SET FOR FLAG

INDEX **27397**
EAN **5902052506415**



ZEST.MONT.P/T ONTEC G
FLUSH MOUNTING SET
FOR ONTEC G

INDEX **27051**
EAN **5902052588640**



ZEST.MONT.P/T ONTEC R
FLUSH MOUNTING SET
FOR ONTEC R

INDEX **27399**
EAN **5902052588671**



ZEST.MONT.P/T ONTEC S
FLUSH MOUNTING SET
FOR ONTEC C

INDEX **27398**
EAN **5902052506422**



ZESTAW MONT.P/T ITECH
FLUSH MOUNTING SET
FOR ITECH

INDEX **25438**
EAN **5902052588626**

NEW PRODUCTS
AUTUMN
2018



MILED0

T8 LED
T8 LED



T8 LED N 18W-NW

LED LAMP

INDEX **31021**

EAN **8595665310219**

⚡ 220-240V~; 50/60Hz

⌚ 18 W ⚡ G13 ☀️ LED SMD 💡 4000 K



T8 LED N 22W-NW

LED LAMP

INDEX **31022**

EAN **8595665310226**

⚡ 220-240V~; 50/60Hz

⌚ 22 W ⚡ G13 ☀️ LED SMD 💡 4000 K



T8 LED N 18W-CW

LED LAMP

INDEX **31024**

EAN **8595665310240**

⚡ 220-240V~; 50/60Hz

⌚ 18 W ⚡ G13 ☀️ LED SMD 💡 6500 K

G9 LED
G9 LED



G9 LED 2,5W-WW

LED LAMP

INDEX **30490**

EAN **8592969304906**

⚡ 220-240V~; 50/60Hz

⌚ 2,5 W ⚡ G9 ☀️ LED SMD 💡 3000 K 💡 200 lm ⌚ 15000 h ⏻ ON/OFF

HIBO LED
HIBO LED



HIBO LED 50W-NW

LED LIGHTING FIXTURE

INDEX **30480**

EAN **8592969304807**

⚡ 220-240V~; 50/60Hz

⌚ 50 W ☀️ LED SMD 💡 4000 K 💡 4500 lm **IP** 65 ⌚ 25 000 h ⏻ ON/OFF



HIBO LED 100W-NW

LED LIGHTING FIXTURE

INDEX **30481**

EAN **8592969304814**

⚡ 220-240V~; 50/60Hz

⌚ 100 W ☀️ LED SMD 💡 4000 K 💡 9000 lm **IP** 65 ⌚ 25 000 h ⏻ ON/OFF



HIBO LED 150W-NW

LED LIGHTING FIXTURE

INDEX **30482**

EAN **8592969304821**

⚡ 220-240V~; 50/60Hz

⌚ 150 W ☀️ LED SMD 💡 4000 K 💡 13500 lm **IP** 65 ⌚ 25 000 h ⏻ ON/OFF



HIBO LED 200W-NW

LED LIGHTING FIXTURE

INDEX **30483**

EAN **8592969304838**

⚡ 220-240V~; 50/60Hz

⌚ 200 W ☀️ LED SMD 💡 4000 K 💡 18000 lm **IP** 65 ⌚ 25 000 h ⏻ ON/OFF



NEW PRODUCTS
AUTUMN
2018



KANLUX
FACTORY

Kanlux

WE CARE ABOUT DETAILS...



YOU CAN TRUST OUR QUALITY

TAILOR-MADE
TO YOUR
REQUIREMENTS

BRANDED
COMPONENTS



29 YEARS
OF EXPERIENCE



ALIN LED ALIN LED




KANLUX
ALIN LED

573 mm

1133 mm

1693 mm



THREE LENGTHS

TWO COLOUR TEMPERATURES




WARM WHITE




NEUTRAL

CHOOSE ADJUST



UNIQUE LIGHTING LINE



THREE TYPES OF DIFFUSER



MATTE



MICROPRISMATIC




RASTER

low
UGR

ATTENTION
TO DETAILS




WHAT MAKES US DIFFERENT?



POWER SUPPLY
by OSRAM



high quality
LED MODULE



Intelligent
system control
DALI MODULE

ALIN LED
ALIN LED




KANLUX ALIN LED 11W, 573mm

NAME	CODE	DALI VERSION	CODE	LUMINOUS FLUX	DIFFUSER	COLOUR TEMPERATURE	HOUSING COLOUR
AL 11W-830-MAT-W EAN 5905339280701	28070	ALD 11W-830-MAT-W EAN 5905339280824	28082	1150 lm	matte	3000K	white
AL 11W-840-MAT-W EAN 5905339280718	28071	ALD 11W-840-MAT-W EAN 5905339280831	28083	1200 lm	matte	4000K	white
AL 11W-830-MPR-W EAN 5905339280725	28072	ALD 11W-830-MPR-W EAN 5905339280848	28084	1080 lm	microprismatic	3000K	white
AL 11W-840-MPR-W EAN 5905339280732	28073	ALD 11W-840-MPR-W EAN 5905339280855	28085	1130 lm	microprismatic	4000K	white
AL 11W-830-RST-W EAN 5905339283603	28360	ALD 11W-830-RST-W EAN 5905339283665	28366	1050 lm	raster	3000K	white
AL 11W-840-RST-W EAN 5905339283610	28361	ALD 11W-840-RST-W EAN 5905339283672	28367	1100 lm	raster	4000K	white
AL 11W-830-MAT-B EAN 5905339280749	28074	ALD 11W-830-MAT-B EAN 5905339280862	28086	1150 lm	matte	3000K	black
AL 11W-840-MAT-B EAN 5905339280756	28075	ALD 11W-840-MAT-B EAN 5905339280879	28087	1200 lm	matte	4000K	black
AL 11W-830-MPR-B EAN 5905339280763	28076	ALD 11W-830-MPR-B EAN 5905339280886	28088	1080 lm	microprismatic	3000K	black
AL 11W-840-MPR-B EAN 5905339280770	28077	ALD 11W-840-MPR-B EAN 5905339280893	28089	1130 lm	microprismatic	4000K	black
AL 11W-830-RST-B EAN 5905339283627	28362	ALD 11W-830-RST-B EAN 5905339283689	28368	1050 lm	raster	3000K	black
AL 11W-840-RST-B EAN 5905339283634	28363	ALD 11W-840-RST-B EAN 5905339283696	28369	1100 lm	raster	4000K	black
AL 11W-830-MAT-SR EAN 5905339280787	28078	ALD 11W-830-MAT-SR EAN 5905339280909	28090	1150 lm	matte	3000K	silver
AL 11W-840-MAT-SR EAN 5905339280794	28079	ALD 11W-840-MAT-SR EAN 5905339280916	28091	1200 lm	matte	4000K	silver
AL 11W-830-MPR-SR EAN 5905339280800	28080	ALD 11W-830-MPR-SR EAN 5905339280923	28092	1080 lm	microprismatic	3000K	silver
AL 11W-840-MPR-SR EAN 5905339280817	28081	ALD 11W-840-MPR-SR EAN 5905339280930	28093	1130 lm	microprismatic	4000K	silver
AL 11W-830-RST-SR EAN 5905339283641	28364	ALD 11W-830-RST-SR EAN 5905339283702	28370	1050 lm	raster	3000K	silver
AL 11W-840-RST-SR EAN 5905339283658	28365	ALD 11W-840-RST-SR EAN 5905339283719	28371	1100 lm	raster	4000K	silver

KEY:

AL	ALIN LED
ALD	ALIN LED DALI
11W	Power [W]
830	Ra≥80 3000K
840	Ra≥80 4000K
MAT	Matte lampshade
MPR	Microprismatic lampshade
RST	Raster
W	Housing colour: white
B	Housing colour: black
SR	Housing colour: silver
NT	Surface mounted

THREE HOUSING COLOURS



KANLUX ALIN LED 17W, 573mm

NAME	CODE	DALI VERSION	CODE	LUMINOUS FLUX	DIFFUSER	COLOUR TEMPERATURE	COLOUR
AL 17W-830-MAT-W EAN 5905339280947	28094	ALD 17W-830-MAT-W EAN 5905339281067	28106	1500 lm	matte	3000K	white
AL 17W-840-MAT-W EAN 5905339280954	28095	ALD 17W-840-MAT-W EAN 5905339281074	28107	1600 lm	matte	4000K	white
AL 17W-830-MPR-W EAN 5905339280961	28096	ALD 17W-830-MPR-W EAN 5905339281081	28108	1400 lm	microprismatic	3000K	white
AL 17W-840-MPR-W EAN 5905339280978	28097	ALD 17W-840-MPR-W EAN 5905339281098	28109	1450 lm	microprismatic	4000K	white
AL 17W-830-RST-W EAN 5905339283726	28372	ALD 17W-830-RST-W EAN 5905339283788	28378	1400 lm	raster	3000K	white
AL 17W-840-RST-W EAN 5905339283733	28373	ALD 17W-840-RST-W EAN 5905339283795	28379	1450 lm	raster	4000K	white
AL 17W-830-MAT-B EAN 5905339280985	28098	ALD 17W-830-MAT-B EAN 5905339281104	28110	1500 lm	matte	3000K	black
AL 17W-840-MAT-B EAN 5905339280992	28099	ALD 17W-840-MAT-B EAN 5905339281111	28111	1600 lm	matte	4000K	black
AL 17W-830-MPR-B EAN 5905339281005	28100	ALD 17W-830-MPR-B EAN 5905339281128	28112	1400 lm	microprismatic	3000K	black
AL 17W-840-MPR-B EAN 5905339281012	28101	ALD 17W-840-MPR-B EAN 5905339281135	28113	1450 lm	microprismatic	4000K	black
AL 17W-830-RST-B EAN 5905339283740	28374	ALD 17W-830-RST-B EAN 5905339283801	28380	1400 lm	raster	3000K	black
AL 17W-840-RST-B EAN 5905339283757	28375	ALD 17W-840-RST-B EAN 5905339283818	28381	1450 lm	raster	4000K	black
AL 17W-830-MAT-SR EAN 5905339281029	28102	ALD 17W-830-MAT-SR EAN 5905339281142	28114	1500 lm	matte	3000K	silver
AL 17W-840-MAT-SR EAN 5905339281036	28103	ALD 17W-840-MAT-SR EAN 5905339281159	28115	1600 lm	matte	4000K	silver
AL 17W-830-MPR-SR EAN 5905339281043	28104	ALD 17W-830-MPR-SR EAN 5905339281166	28116	1400 lm	microprismatic	3000K	silver
AL 17W-840-MPR-SR EAN 5905339281050	28105	ALD 17W-840-MPR-SR EAN 5905339281173	28117	1450 lm	microprismatic	4000K	silver
AL 17W-830-RST-SR EAN 5905339283764	28376	ALD 17W-830-RST-SR EAN 5905339283825	28382	1400 lm	raster	3000K	silver
AL 17W-840-RST-SR EAN 5905339283771	28377	ALD 17W-840-RST-SR EAN 5905339283832	28383	1450 lm	raster	4000K	silver

KANLUX ALIN LED 23W, 1133mm

NAME	CODE	DALI VERSION	CODE	LUMINOUS FLUX	DIFFUSER	COLOUR TEMPERATURE	COLOUR
AL 23W-830-MAT-W EAN 5905339281180	28118	ALD 23W-830-MAT-W EAN 5905339281302	28130	2350 lm	matte	3000K	white
AL 23W-840-MAT-W EAN 5905339281197	28119	ALD 23W-840-MAT-W EAN 5905339281319	28131	2500 lm	matte	4000K	white
AL 23W-830-MPR-W EAN 5905339281203	28120	ALD 23W-830-MPR-W EAN 5905339281326	28132	2280 lm	microprismatic	3000K	white
AL 23W-840-MPR-W EAN 5905339281210	28121	ALD 23W-840-MPR-W EAN 5905339281333	28133	2350 lm	microprismatic	4000K	white
AL 23W-830-RST-W EAN 5905339283849	28384	ALD 23W-830-RST-W EAN 5905339283900	28390	2100 lm	raster	3000K	white
AL 23W-840-RST-W EAN 5905339283856	28385	ALD 23W-840-RST-W EAN 5905339283917	28391	2200 lm	raster	4000K	white
AL 23W-830-MAT-B EAN 5905339281227	28122	ALD 23W-830-MAT-B EAN 5905339281340	28134	2350 lm	matte	3000K	black
AL 23W-840-MAT-B EAN 5905339281234	28123	ALD 23W-840-MAT-B EAN 5905339281357	28135	2500 lm	matte	4000K	black
AL 23W-830-MPR-B EAN 5905339281241	28124	ALD 23W-830-MPR-B EAN 5905339281364	28136	2280 lm	microprismatic	3000K	black
AL 23W-840-MPR-B EAN 5905339281258	28125	ALD 23W-840-MPR-B EAN 5905339281371	28137	2350 lm	microprismatic	4000K	black
AL 23W-830-RST-B EAN 5905339283863	28386	ALD 23W-830-RST-B EAN 5905339283924	28392	2100 lm	raster	3000K	black
AL 23W-840-RST-B EAN 5905339283870	28387	ALD 23W-840-RST-B EAN 5905339283931	28393	2200 lm	raster	4000K	black
AL 23W-830-MAT-SR EAN 5905339281265	28126	ALD 23W-830-MAT-SR EAN 5905339281388	28138	2350 lm	matte	3000K	silver
AL 23W-840-MAT-SR EAN 5905339281272	28127	ALD 23W-840-MAT-SR EAN 5905339281395	28139	2500 lm	matte	4000K	silver
AL 23W-830-MPR-SR EAN 5905339281289	28128	ALD 23W-830-MPR-SR EAN 5905339281401	28140	2280 lm	microprismatic	3000K	silver
AL 23W-840-MPR-SR EAN 5905339281296	28129	ALD 23W-840-MPR-SR EAN 5905339281418	28141	2350 lm	microprismatic	4000K	silver
AL 23W-830-RST-SR EAN 5905339283887	28388	ALD 23W-830-RST-SR EAN 5905339283948	28394	2100 lm	raster	3000K	silver
AL 23W-840-RST-SR EAN 5905339283894	28389	ALD 23W-840-RST-SR EAN 5905339283955	28395	2200 lm	raster	4000K	silver

KANLUX ALIN LED 33W, 1133mm

NAME	CODE	DALI VERSION	CODE	LUMINOUS FLUX	DIFFUSER	COLOUR TEMPERATURE	COLOUR
AL 33W-830-MAT-W EAN 5905339281425	28142	ALD 33W-830-MAT-W EAN 5905339281548	28154	3050 lm	matte	3000K	white
AL 33W-840-MAT-W EAN 5905339281432	28143	ALD 33W-840-MAT-W EAN 5905339281555	28155	3200 lm	matte	4000K	white
AL 33W-830-MPR-W EAN 5905339281449	28144	ALD 33W-830-MPR-W EAN 5905339281562	28156	2800 lm	microprismatic	3000K	white
AL 33W-840-MPR-W EAN 5905339281456	28145	ALD 33W-840-MPR-W EAN 5905339281579	28157	2950 lm	microprismatic	4000K	white
AL 33W-830-RST-W EAN 5905339283962	28396	ALD 33W-830-RST-W EAN 5905339284020	28402	2800 lm	raster	3000K	white
AL 33W-840-RST-W EAN 5905339283979	28397	ALD 33W-840-RST-W EAN 5905339284037	28403	2950 lm	raster	4000K	white
AL 33W-830-MAT-B EAN 5905339281463	28146	ALD 33W-830-MAT-B EAN 5905339281586	28158	3050 lm	matte	3000K	black
AL 33W-840-MAT-B EAN 5905339281470	28147	ALD 33W-840-MAT-B EAN 5905339281593	28159	3200 lm	matte	4000K	black
AL 33W-830-MPR-B EAN 5905339281487	28148	ALD 33W-830-MPR-B EAN 5905339281609	28160	2800 lm	microprismatic	3000K	black
AL 33W-840-MPR-B EAN 5905339281494	28149	ALD 33W-840-MPR-B EAN 5905339281616	28161	2950 lm	microprismatic	4000K	black
AL 33W-830-RST-B EAN 5905339283986	28398	ALD 33W-830-RST-B EAN 5905339284044	28404	2800 lm	raster	3000K	black
AL 33W-840-RST-B EAN 5905339283993	28399	ALD 33W-840-RST-B EAN 5905339284051	28405	2950 lm	raster	4000K	black
AL 33W-830-MAT-SR EAN 5905339281500	28150	ALD 33W-830-MAT-SR EAN 5905339281623	28162	3050 lm	matte	3000K	silver
AL 33W-840-MAT-SR EAN 5905339281517	28151	ALD 33W-840-MAT-SR EAN 5905339281630	28163	3200 lm	matte	4000K	silver
AL 33W-830-MPR-SR EAN 5905339281524	28152	ALD 33W-830-MPR-SR EAN 5905339281647	28164	2800 lm	microprismatic	3000K	silver
AL 33W-840-MPR-SR EAN 5905339281531	28153	ALD 33W-840-MPR-SR EAN 5905339281654	28165	2950 lm	microprismatic	4000K	silver
AL 33W-830-RST-SR EAN 5905339284006	28400	ALD 33W-830-RST-SR EAN 5905339284068	28406	2800 lm	raster	3000K	silver
AL 33W-840-RST-SR EAN 5905339284013	28401	ALD 33W-840-RST-SR EAN 5905339284075	28407	2950 lm	raster	4000K	silver

KANLUX ALIN LED 35W, 1693mm

NAME	CODE	DALI VERSION	CODE	LUMINOUS FLUX	DIFFUSER	COLOUR TEMPERATURE	COLOUR
AL 35W-830-MAT-W EAN 5905339281661	28166	ALD 35W-830-MAT-W EAN 5905339281784	28178	3500 lm	matte	3000K	white
AL 35W-840-MAT-W EAN 5905339281678	28167	ALD 35W-840-MAT-W EAN 5905339281791	28179	3700 lm	matte	4000K	white
AL 35W-830-MPR-W EAN 5905339281685	28168	ALD 35W-830-MPR-W EAN 5905339282040	28204	3420 lm	microprismatic	3000K	white
AL 35W-840-MPR-W EAN 5905339281692	28169	ALD 35W-840-MPR-W EAN 5905339281814	28181	3570 lm	microprismatic	4000K	white
AL 35W-830-RST-W EAN 5905339284082	28408	ALD 35W-830-RST-W EAN 5905339284143	28414	3150 lm	raster	3000K	white
AL 35W-840-RST-W EAN 5905339284099	28409	ALD 35W-840-RST-W EAN 5905339284150	28415	3300 lm	raster	4000K	white
AL 35W-830-MAT-B EAN 5905339281708	28170	ALD 35W-830-MAT-B EAN 5905339282064	28206	3500 lm	matte	3000K	black
AL 35W-840-MAT-B EAN 5905339281715	28171	ALD 35W-840-MAT-B EAN 5905339282071	28207	3700 lm	matte	4000K	black
AL 35W-830-MPR-B EAN 5905339281722	28172	ALD 35W-830-MPR-B EAN 5905339281845	28184	3420 lm	microprismatic	3000K	black
AL 35W-840-MPR-B EAN 5905339281739	28173	ALD 35W-840-MPR-B EAN 5905339282095	28209	3570 lm	microprismatic	4000K	black
AL 35W-830-RST-B EAN 5905339284105	28410	ALD 35W-830-RST-B EAN 5905339284167	28416	3150 lm	raster	3000K	black
AL 35W-840-RST-B EAN 5905339284112	28411	ALD 35W-840-RST-B EAN 5905339284174	28417	3300 lm	raster	4000K	black
AL 35W-830-MAT-SR EAN 5905339281746	28174	ALD 35W-830-MAT-SR EAN 5905339281869	28186	3500 lm	matte	3000K	silver
AL 35W-840-MAT-SR EAN 5905339281753	28175	ALD 35W-840-MAT-SR EAN 5905339281876	28187	3700 lm	matte	4000K	silver
AL 35W-830-MPR-SR EAN 5905339281760	28176	ALD 35W-830-MPR-SR EAN 5905339282125	28212	3420 lm	microprismatic	3000K	silver
AL 35W-840-MPR-SR EAN 5905339281777	28177	ALD 35W-840-MPR-SR EAN 5905339282132	28213	3570 lm	microprismatic	4000K	silver
AL 35W-830-RST-SR EAN 5905339284129	28412	ALD 35W-830-RST-SR EAN 5905339284181	28418	3150 lm	raster	3000K	silver
AL 35W-840-RST-SR EAN 5905339284136	28413	ALD 35W-840-RST-SR EAN 5905339284198	28419	3300 lm	raster	4000K	silver

KANLUX ALIN LED 50W, 1133mm

NAME	CODE	DALI VERSION	CODE	LUMINOUS FLUX	DIFFUSER	COLOUR TEMPERATURE	COLOUR
AL 50W-830-MAT-W EAN 5905339281906	28190	ALD 50W-830-MAT-W EAN 5905339284716	28471	4600 lm	matte	3000K	white
AL 50W-840-MAT-W EAN 5905339281913	28191	ALD 50W-840-MAT-W EAN 5905339284723	28472	4800 lm	matte	4000K	white
AL 50W-830-MPR-W EAN 5905339281920	28192	ALD 50W-830-MPR-W EAN 5905339284730	28473	4200 lm	microprismatic	3000K	white
AL 50W-840-MPR-W EAN 5905339281937	28193	ALD 50W-840-MPR-W EAN 5905339284747	28474	4400 lm	microprismatic	4000K	white
AL 50W-830-RST-W EAN 5905339284204	28420	ALD 50W-830-RST-W EAN 5905339284266	28426	4200 lm	raster	3000K	white
AL 50W-840-RST-W EAN 5905339284211	28421	ALD 50W-840-RST-W EAN 5905339284273	28427	4400 lm	raster	4000K	white
AL 50W-830-MAT-B EAN 5905339281944	28194	ALD 50W-830-MAT-B EAN 5905339284754	28475	4600 lm	matte	3000K	black
AL 50W-840-MAT-B EAN 5905339281951	28195	ALD 50W-840-MAT-B EAN 5905339284761	28476	4800 lm	matte	4000K	black
AL 50W-830-MPR-B EAN 5905339281968	28196	ALD 50W-830-MPR-B EAN 5905339284778	28477	4200 lm	microprismatic	3000K	black
AL 50W-840-MPR-B EAN 5905339281975	28197	ALD 50W-840-MPR-B EAN 5905339284785	28478	4400 lm	microprismatic	4000K	black
AL 50W-830-RST-B EAN 5905339284228	28422	ALD 50W-830-RST-B EAN 5905339284280	28428	4200 lm	raster	3000K	black
AL 50W-840-RST-B EAN 5905339284235	28423	ALD 50W-840-RST-B EAN 5905339284297	28429	4400 lm	raster	4000K	black
AL 50W-830-MAT-SR EAN 5905339281982	28198	ALD 50W-830-MAT-SR EAN 5905339284792	28479	4600 lm	matte	3000K	silver
AL 50W-840-MAT-SR EAN 5905339281999	28199	ALD 50W-840-MAT-SR EAN 5905339284808	28480	4800 lm	matte	4000K	silver
AL 50W-830-MPR-SR EAN 5905339282002	28200	ALD 50W-830-MPR-SR EAN 5905339284815	28481	4200 lm	microprismatic	3000K	silver
AL 50W-840-MPR-SR EAN 5905339284709	28470	ALD 50W-840-MPR-SR EAN 5905339284822	28482	4400 lm	microprismatic	4000K	silver
AL 50W-830-RST-SR EAN 5905339284242	28424	ALD 50W-830-RST-SR EAN 5905339284303	28430	4200 lm	raster	3000K	silver
AL 50W-840-RST-SR EAN 5905339284259	28425	ALD 50W-840-RST-SR EAN 5905339284310	28431	4400 lm	raster	4000K	silver




ALIN 4LED

ALIN 4LED




THREE LENGTHS
FOR THREE LENGTHS
OF LIGHT SOURCES

620 mm
1230 mm
1530 mm



600 mm
1200 mm
1500 mm



REPLACEABLE
T8 LED SOURCE



KEY:

- AL ALIN LED
- ALD ALIN LED DALI
- 11W Power [W]
- 830 Ra≥80 3000K
- 840 Ra≥80 4000K
- MAT Matte lampshade
- MPR Microprismatic lampshade
- RST Raster
- W Housing colour: white
- B Housing colour: black
- SR Housing colour: silver
- NT Surface mounted

THREE HOUSING COLOURS



WHITE



BLACK



SILVER

KANLUX ALIN 4LED, 620mm

MATTE LAMPSHADE	CODE	MICROPRISMATIC LAMPSHADE	CODE	SET	VERSION	COLOUR TEMPERATURE	COLOUR
ALIN 4LED 1X60-W-NT EAN 5905339274168	27416	AL 4LED 60-MPR-W-NT EAN 5905339284402	28440	wireless	surface-mounted	3000K	white
ALIN 4LED 1X60-B-NT EAN 5905339274175	27417	AL 4LED 60-MPR-B-NT EAN 5905339284419	28441		surface-mounted	4000K	black
ALIN 4LED 1X60-SR-NT EAN 5905339274182	27418	AL 4LED 60-MPR-SR-NT EAN 5905339284426	28442		surface-mounted	3000K	silver
ALIN 4LED 1X60-W EAN 5905339274106	27410	AL 4LED 60-MPR-W EAN 5905339284433	28443	soffit, cable, pull-offs, block box, slings	pendant	4000K	white
ALIN 4LED 1X60-B EAN 5905339274113	27411	AL 4LED 60-MPR-B EAN 5905339284440	28444		pendant	3000K	black
ALIN 4LED 1X60-SR EAN 5905339274120	27412	AL 4LED 60-MPR-SR EAN 5905339284457	28445		pendant	4000K	silver

KANLUX ALIN 4LED, 1230mm

MATTE LAMPSHADE	CODE	MICROPRISMATIC LAMPSHADE	CODE	SET	VERSION	COLOUR TEMPERATURE	COLOUR
ALIN 4LED 1X120-W-NT EAN 5905339274199	27419	AL 4LED 120-MPR-W-NT EAN 5905339284464	28446	wireless	surface-mounted	3000K	white
ALIN 4LED 1X120-B-NT EAN 5905339274205	27420	AL 4LED 120-MPR-B-NT EAN 5905339284471	28447		surface-mounted	4000K	black
ALIN 4LED 1X120-SR-NT EAN 5905339274212	27421	AL 4LED 120-MPR-SR-NT EAN 5905339284488	28448		surface-mounted	3000K	silver
ALIN 4LED 1X120-W EAN 5905339274137	27413	AL 4LED 120-MPR-W EAN 5905339284495	28449	soffit, cable, pull-offs, block box, slings	pendant	4000K	white
ALIN 4LED 1X120-B EAN 5905339274144	27414	AL 4LED 120-MPR-B EAN 5905339284501	28450		pendant	3000K	black
ALIN 4LED 1X120-SR EAN 5905339274151	27415	AL 4LED 120-MPR-SR EAN 5905339284518	28451		pendant	4000K	silver

KANLUX ALIN 4LED, 1530mm

MATTE LAMPSHADE	CODE	MICROPRISMATIC LAMPSHADE	CODE	SET	VERSION	COLOUR TEMPERATURE	COLOUR
ALIN 4LED 1X150-W-NT EAN 5905339274250	27425	AL 4LED 150-MPR-W-NT EAN 5905339284525	28452	wireless	surface-mounted	3000K	white
ALIN 4LED 1X150-B-NT EAN 5905339274267	27426	AL 4LED 150-MPR-B-NT EAN 5905339284532	28453		surface-mounted	4000K	black
ALIN 4LED 1X150-SR-NT EAN 5905339274274	27427	AL 4LED 150-MPR-SR-NT EAN 5905339284549	28454		surface-mounted	3000K	silver
ALIN 4LED 1X150-W EAN 5905339274229	27422	AL 4LED 150-MPR-W EAN 5905339284556	28455	soffit, cable, pull-offs, block box, slings	pendant	4000K	white
ALIN 4LED 1X150-B EAN 5905339274236	27423	AL 4LED 150-MPR-B EAN 5905339284563	28456		pendant	3000K	black
ALIN 4LED 1X150-SR EAN 5905339274243	27424	AL 4LED 150-MPR-SR EAN 5905339284570	28457		pendant	4000K	silver

OFIS LED

OFIS LED



ONLY
BRANDED
COMPONENTS



reliable **DRIVER**



only selected **LED**



LUMINOUS EFFICACY:
up to 130 lm/W


COLOUR UNIFORMITY:
SDCM < 3
(MacAdam ellipses)

STRONG LUMINOUS FLUX:
up to 4800 lm

A++



THREE TYPES OF DIFFUSER



MAT



MPRD



MPRM

KEY:

25W/33W	Power [W]
830	Ra≥80 3000K
840	Ra≥80 4000K
MAT	Matte diffuser
MPRM	Microprismatic matte diffuser
MPRD	Microprism clear diffuser
W	Housing colour: white
NT	Surface mounted
PT	Flush mounting
N1	Surface mounted 600x600
N2	Surface mounted 600x300
N3	Surface mounted 1200x300
P1	Flush mounting 600x600
P2	Flush mounting 600x300
P3	Flush mounting 1200x300

AS AN OPTION



Intelligent
system control
DALI MODULE

**EASY & QUICK
MONTAGE**



FLUSHED
MOUNTING



SURFACE
MOUNTED

KANLUX OFIS LED 25W

ON/OFF VERSION	CODE	LUMINOUS FLUX	EFFICIENCY	DIFFUSER	COLOUR TEMPERATURE
OF 25W-830-MAT-W-N1 EAN 5905339285607	28560	3150 lm	126 lm/W	MAT	3000K
OF 25W-840-MAT-W-N1 EAN 5905339285614	28561	3200 lm	128 lm/W	MAT	4000K
OF 25W-830-MPRM-W-N1 EAN 5905339285645	28564	3150 lm	126 lm/W	MPRM	3000K
OF 25W-840-MPRM-W-N1 EAN 5905339285652	28565	3200 lm	128 lm/W	MPRM	4000K
OF 25W-830-MPRD-W-N1 EAN 5905339285706	28570	3150 lm	126 lm/W	MPRD	3000K
OF 25W-840-MPRD-W-N1 EAN 5905339285690	28569	3200 lm	128 lm/W	MPRD	4000K
OF 25W-830-MAT-W-P2 EAN 5905339285966	28596	3150 lm	126 lm/W	MAT	3000K
OF 25W-840-MAT-W-P2 EAN 5905339285973	28597	3200 lm	128 lm/W	MAT	4000K
OF 25W-830-MPRM-W-P2 EAN 5905339286000	28600	3150 lm	126 lm/W	MPRM	3000K
OF 25W-840-MPRM-W-P2 EAN 5905339286017	28601	3200 lm	128 lm/W	MPRM	4000K
OF 25W-830-MPRD-W-P2 EAN 5905339286048	28604	3150 lm	126 lm/W	MPRD	3000K
OF 25W-840-MPRD-W-P2 EAN 5905339286055	28605	3200 lm	128 lm/W	MPRD	4000K

KANLUX OFIS LED 25W

DALI VERSION	CODE	LUMINOUS FLUX	EFFICIENCY	DIFFUSER	COLOUR TEMPERATURE
OFD 25W-830-MAT-W-N1 EAN 5905339285621	28562	3150 lm	126 lm/W	MAT	3000K
OFD 25W-840-MAT-W-N1 EAN 5905339285638	28563	3200 lm	128 lm/W	MAT	4000K
OFD 25W-830-MPRM-W-N1 EAN 5905339285669	28566	3150 lm	126 lm/W	MPRM	3000K
OFD 25W-840-MPRM-W-N1 EAN 5905339285676	28567	3200 lm	128 lm/W	MPRM	4000K
OF 25W-830-MPRD-W-N1 EAN 5905339285706	28570	3150 lm	126 lm/W	MPRD	3000K
OF 25W-840-MPRD-W-N1 EAN 5905339285690	28569	3200 lm	128 lm/W	MPRD	4000K
OFD 25W-830-MAT-W-P2 EAN 5905339285980	28598	3150 lm	126 lm/W	MAT	3000K
OFD 25W-840-MAT-W-P2 EAN 5905339285997	28599	3200 lm	128 lm/W	MAT	4000K
OFD 25W-830-MPRM-W-P2 EAN 5905339286024	28602	3150 lm	126 lm/W	MPRM	3000K
OFD 25W-840-MPRM-W-P2 EAN 5905339286031	28603	3200 lm	128 lm/W	MPRM	4000K
OFD 25W-830-MPRD-W-P2 EAN 5905339286062	28606	3150 lm	126 lm/W	MPRD	3000K
OFD 25W-840-MPRD-W-P2 EAN 5905339286079	28607	3200 lm	128 lm/W	MPRD	4000K

KANLUX OFIS LED 33W

ON/OFF VERSION	CODE	LUMINOUS FLUX	EFFICIENCY	DIFFUSER	COLOUR TEMPERATURE
OF 33W-830-MAT-W-N1 EAN 5905339285720	28572	3900 lm	118 lm/W	MAT	3000K
OF 33W-840-MAT-W-N1 EAN 5905339285737	28573	4000 lm	121 lm/W	MAT	4000K
OF 33W-830-MPRM-W-N1 EAN 5905339285768	28576	3900 lm	118 lm/W	MPRM	3000K
OF 33W-840-MPRM-W-N1 EAN 5905339285775	28577	4000 lm	121 lm/W	MPRM	4000K
OF 33W-830-MPRD-W-N1 EAN 5905339285805	28580	3900 lm	118 lm/W	MPRD	3000K
OF 33W-840-MPRD-W-N1 EAN 5905339285812	28581	4000 lm	121 lm/W	MPRD	4000K
OF 33W-830-MAT-W-N3 EAN 5905339285843	28584	3900 lm	118 lm/W	MAT	3000K
OF 33W-840-MAT-W-N3 EAN 5905339285850	28585	4000 lm	121 lm/W	MAT	4000K
OF 33W-830-MPRM-W-N3 EAN 5905339285881	28588	3900 lm	118 lm/W	MPRM	3000K
OF 33W-840-MPRM-W-N3 EAN 5905339285898	28589	4000 lm	121 lm/W	MPRM	4000K
OF 33W-830-MPRD-W-N3 EAN 5905339285928	28592	3900 lm	118 lm/W	MPRD	3000K
OF 33W-840-MPRD-W-N3 EAN 5905339285935	28593	4000 lm	121 lm/W	MPRD	4000K
OF 33W-830-MAT-W-P2 EAN 5905339286086	28608	3900 lm	118 lm/W	MAT	3000K
OF 33W-840-MAT-W-P2 EAN 5905339286093	28609	4000 lm	121 lm/W	MAT	4000K
OF 33W-830-MPRM-W-P2 EAN 5905339286123	28612	3900 lm	118 lm/W	MPRM	3000K
OF 33W-840-MPRM-W-P2 EAN 5905339286130	28613	4000 lm	121 lm/W	MPRM	4000K
OF 33W-830-MPRD-W-P2 EAN 5905339286161	28616	3900 lm	118 lm/W	MPRD	3000K
OF 33W-840-MPRD-W-P2 EAN 5905339286178	28617	4000 lm	121 lm/W	MPRD	4000K

KANLUX OFIS LED 33W

DALI VERSION	CODE	LUMINOUS FLUX	EFFICIENCY	DIFFUSER	COLOUR TEMPERATURE
OFD 33W-830-MAT-W-N1 EAN 5905339285744	28574	3900 lm	118 lm/W	MAT	3000K
OFD 33W-840-MAT-W-N1 EAN 5905339285751	28575	4000 lm	121 lm/W	MAT	4000K
OFD 33W-830-MPRM-W-N1 EAN 5905339285782	28578	3900 lm	118 lm/W	MPRM	3000K
OFD 33W-840-MPRM-W-N1 EAN 5905339285799	28579	4000 lm	121 lm/W	MPRM	4000K
OF 33W-830-MPRD-W-N1 EAN 5905339285829	28582	3900 lm	118 lm/W	MPRD	3000K
OF 33W-840-MPRD-W-N1 EAN 5905339285836	28583	4000 lm	121 lm/W	MPRD	4000K
OFD 33W-830-MAT-W-N3 EAN 5905339285867	28586	3900 lm	118 lm/W	MAT	3000K
OFD 33W-840-MAT-W-N3 EAN 5905339285874	28587	4000 lm	121 lm/W	MAT	4000K
OFD 33W-830-MPRM-W-N3 EAN 5905339285904	28590	3900 lm	118 lm/W	MPRM	3000K
OFD 33W-840-MPRM-W-N3 EAN 5905339285911	28591	4000 lm	121 lm/W	MPRM	4000K
OFD 33W-830-MPRD-W-N3 EAN 5905339285942	28594	3900 lm	118 lm/W	MPRD	3000K
OFD 33W-840-MPRD-W-N3 EAN 5905339285959	28595	4000 lm	121 lm/W	MPRD	4000K
OFD 33W-830-MAT-W-P2 EAN 5905339286109	28610	3900 lm	118 lm/W	MAT	3000K
OFD 33W-840-MAT-W-P2 EAN 5905339286116	28611	4000 lm	121 lm/W	MAT	4000K
OFD 33W-830-MPRM-W-P2 EAN 5905339286147	28614	3900 lm	118 lm/W	MPRM	3000K
OFD 33W-840-MPRM-W-P2 EAN 5905339286154	28615	4000 lm	121 lm/W	MPRM	4000K
OFD 33W-830-MPRD-W-P2 EAN 5905339286185	28618	3900 lm	118 lm/W	MPRD	3000K
OFD 33W-840-MPRD-W-P2 EAN 5905339286192	28619	4000 lm	121 lm/W	MPRD	4000K


FUTURIO FUTURIO



THREE LENGTHS



HIGH lm/W
50 000 h
A++



HIGH IMPACT
RESISTANCE

IK08

HIGH
IP PROTECTION

IP65

BRANDED
COMPONENTS
(LEDs, DRIVER)



MADE IN POLAND

SPOT OR
ASYMETRIC
LENSE



TWO TYPES OF DIFFUSERS




RYF




OPL



**EASY
INSTALLATION**
FROM BACK
WITHOUT
OPENING
LIGHTING
FIXTURE



EASY MONTAGE
WITH ADJUSTABLE HOOKS



POSSIBILITY
OF CONNECTION

AS AN OPTION



DALI
MODULE

FUTURIO
FUTURIO



KEY:

FT12000	FUTURIO LED 1200 mm
FTD1200	FUTURIO LED DALI 1200 mm
37W/61W	Power
840	Ra≥80 4000K
OPL	Opal diffuser
RYF	Grooved diffuser
INT	with narrow beam lenses
ASY	with asymmetrical lenses
DASY	with double asymmetrical lenses
BAT	with batwing lenses

FUTURIO LED 37W

DALI VERSION	CODE	POWER	EFFICIENCY	DIFFUSER	COLOUR TEMPERATURE
FT1200 37W-840-OPL EAN 5905339286307	28630	37 W	5000 lm	135 lm/W	4000 K
FT1200 37W-840-RYF EAN 5905339286314	28631	37 W	5000 lm	135 lm/W	4000 K
FT1200 37W-840-INT EAN 5905339286338	28633	37 W	5300 lm	143 lm/W	4000 K
FT1200 37W-840-ASY EAN 5905339286345	28634	37 W	5300 lm	143 lm/W	4000 K
FT1200 37W-840-BAT EAN 5905339286352	28635	37 W	5300 lm	143 lm/W	4000 K
FT1200 37W-840-DAS EAN 5905339286369	28636	37 W	5300 lm	143 lm/W	4000 K
FTD1200 37W-840-OPL EAN 5905339286376	28637	37 W	5000 lm	135 lm/W	4000 K
FTD1200 37W-840-RYF EAN 5905339286383	28638	37 W	5000 lm	135 lm/W	4000 K
FTD1200 37W-840-INT EAN 5905339286406	28640	37 W	5300 lm	143 lm/W	4000 K
FTD1200 37W-840-ASY EAN 5905339286413	28641	37 W	5300 lm	143 lm/W	4000 K
FTD1200 37W-840-BAT EAN 5905339286420	28642	37 W	5300 lm	143 lm/W	4000 K
FTD1200 37W-840-DAS EAN 5905339286437	28643	37 W	5300 lm	143 lm/W	4000 K

FUTURIO LED 61W

DALI VERSION	CODE	POWER	EFFICIENCY	DIFFUSER	COLOUR TEMPERATURE
FT1500 61W-840-OPL EAN 5905339286659	28665	61 W	7700 lm	126 lm/W	4000 K
FT1500 61W-840-RYF EAN 5905339286658	28659	61 W	7700 lm	126 lm/W	4000 K
FT1500 61W-840-INT EAN 5905339286611	28661	61 W	7900 lm	130 lm/W	4000 K
FT1500 61W-840-ASY EAN 5905339286628	28662	61 W	7900 lm	130 lm/W	4000 K
FT1500 61W-840-BAT EAN 5905339286635	28663	61 W	7900 lm	130 lm/W	4000 K
FT1500 61W-840-DAS EAN 5905339286642	28664	61 W	7900 lm	130 lm/W	4000 K
FTD1500 61W-840-OPL EAN 5905339286581	28658	61 W	7700 lm	126 lm/W	4000 K
FTD1500 61W-840-RYF EAN 5905339286666	28666	61 W	7700 lm	126 lm/W	4000 K
FTD1500 61W-840-INT EAN 5905339286680	28668	61 W	7900 lm	130 lm/W	4000 K
FTD1500 61W-840-ASY EAN 5905339286697	28669	61 W	7900 lm	130 lm/W	4000 K
FTD1500 61W-840-BAT EAN 5905339286703	28670	61 W	7900 lm	130 lm/W	4000 K
FTD1500 61W-840-DAS EAN 5905339286710	28671	61 W	7900 lm	130 lm/W	4000 K

ALPHABETICAL INDEX			
ALGO GU10 CL-B	27030	5905339270306	40
ALGO GU10 CL-GR	27031	5905339270313	40
ALGO GU10 CL-W	27032	5905339270320	40
ALGO GU10 CO-B	27033	5905339270337	40
ALGO GU10 CO-GR	27034	5905339270344	40
ALGO GU10 CO-W	27035	5905339270351	41
ALGO GU10 PL-B	27036	5905339270368	38
ALGO GU10 PL-GR	27037	5905339270375	38
ALGO GU10 PL-W	27038	5905339270382	39
ALGO GU10 PO-B	27039	5905339270399	39
ALGO GU10 PO-GR	27040	5905339270405	39
ALGO GU10 PO-W	27041	5905339270412	39
ALIN FOR LED	xxx	xxx	90-91
ALIN LED	xxx	xxx	80-89
ALREN R DTL-B	26757	5905339267573	43
ALREN R DTL-W	26758	5905339267580	43
ANTOS LED 10W-NW B	27090	5905339270900	16
ANTOS LED 10W-NW-SE B	27094	5905339270948	16
ANTOS LED 20W-NW B	27091	5905339270917	16
ANTOS LED 20W-NW-SE B	27095	5905339270955	16
ANTOS LED 30W-NW B	27092	5905339270924	17
ANTOS LED 30W-NW-SE	27096	5905339270962	17
ANTOS LED 50W-NW B	27093	5905339270931	17
ANTOS LED 50W-NW-SE B	27097	5905339270979	17
APUS LED PIR CW	27371	5905339273710	49
APUS LED PIR WW	27370	5905339273703	49
ASIL G9 C-B	27023	5905339270238	41
ASIL G9 C-GR	27024	5905339270245	41
ASIL G9 C-W	27025	5905339270252	42
ASIL G9 W-B	27020	5905339270207	41
ASIL G9 W-GR	27021	5905339270214	41
ASIL G9 W-W	27022	5905339270221	41
AVAR 6060 40W-CW	26771	5905339267719	17
AVAR 6060 40W-WW	26772	5905339267726	17
BRAVO DRIVER 28W	28029	5905339280299	23
BRAVO DRIVER 36W	28025	5905339280251	23
BRAVO DRIVER 40W	28026	5905339280268	23
BRAVO DRIVER 45W	28027	5905339280275	23
BRAVO DRIVER 50W	28028	5905339280282	23
BRAVO P 36W12030NW SR	28021	5905339280213	18
BRAVO P 36W12030NW W	28020	5905339280206	18
BRAVO P 36W6060CW SR	28007	5905339280077	18
BRAVO P 36W6060CW W	28006	5905339280060	19
BRAVO P 36W6060NW SR	28001	5905339280015	19
BRAVO P 36W6060NW W	28000	5905339280008	19
BRAVO P 36W6060WW SR	28005	5905339280053	19
BRAVO P 36W6060WW W	28004	5905339280046	19
BRAVO P 45W6060NW SR	28009	5905339280091	19
BRAVO P 45W6060NW W	28008	5905339280084	19

BRAVO PU36W6060NW SR	28003	5905339280039	20
BRAVO PU36W6060NW W	28002	5905339280022	20
BRAVO PU36W6262NW W	28024	5905339280244	20
BRAVO S 3060 28W-NW-W	22245	5905339222459	18
BRAVO S 40W12030NW SR	28023	5905339280237	20
BRAVO S 40W12030NW W	28022	5905339280220	20
BRAVO S 40W6060CW SR	28017	5905339280176	20
BRAVO S 40W6060CW W	28016	5905339280169	20
BRAVO S 40W6060NW SR	28011	5905339280114	21
BRAVO S 40W6060NW W	28010	5905339280107	21
BRAVO S 40W6060WW SR	28015	5905339280152	21
BRAVO S 40W6060WW W	28014	5905339280145	21
BRAVO S 50W6060NW SR	28019	5905339280190	21
BRAVO S 50W6060NW W	28018	5905339280183	21
BRAVO S/P GRIP 12030	28501	5905339285010	22
BRAVO S/P GRIP 60-62	28500	5905339285003	22
BRAVO SU40W6060NW SR	28013	5905339280138	21
BRAVO SU40W6060NW W	28012	5905339280121	22
CEMIN DTL-GR	27230	5905339272300	43
CLIPS BRAVO S/P 12030	28503	5905339285034	22
CLIPS BRAVO S/P 60-62	28502	5905339285027	22
ELNER LED 15W-NW-B	27561	5905339275615	25
ELNER LED 15W-NW-SE-B	27563	5905339275639	25
ELNER LED 8W-NW-B	27560	5905339275608	25
ELNER LED 8W-NW-SE-B	27562	5905339275622	25
ELNIS L A	27809	5905339278098	45
ELNIS L A/C	27808	5905339278081	45
ELNIS L A/W	27807	5905339278074	45
ELNIS L B/G	27810	5905339278104	45
ELNIS L C/A	27812	5905339278128	46
ELNIS L C/W	27811	5905339278111	45
ELNIS L W	27804	5905339278043	44
ELNIS L W/A	27805	5905339278050	45
ELNIS L W/C	27806	5905339278067	45
ELNIS S A/C	27803	5905339278036	44
ELNIS S A/W	27802	5905339278029	44
ELNIS S W	27800	5905339278005	44
ELNIS S W/A	27801	5905339278012	44
ETISSA D20 GR	27000	5905339270009	38
FL MASTER LED 100W-NW	28490	5905339284907	32
FL MASTER LED 150W-NW	28491	5905339284914	32
FL MASTER LED 240W-NW	28492	5905339284921	32
FLM LED 100W-NW-60D	28520	5905339285201	32
FLM LED 150W-NW-60D	28522	5905339285225	32
FLM LED 240W-NW-60D	28524	5905339285249	32
FLM LED100W-NW80/150D	28521	5905339285218	32
FLM LED150W-NW80/150D	28523	5905339285232	33
FLM LED240W-NW80/150D	28525	5905339285256	33
FUTURIO	xxx	xxx	98-102
G9 LED 2,5W-WW	30490	8592969304906	74
HB MASTER LED 100W	28530	5905339285300	33
HB MASTER LED 150W	28531	5905339285317	33

HB MASTER LED 200W	28532	5905339285324	33
HB PRO LED 100W-NW	27150	5905339271501	26
HB PRO LED 150W-NW	27151	5905339271518	26
HB REF 15 AL.	27152	5905339271525	26
HB REF 17 AL.	27153	5905339271532	26
HBM BRACKET 100/150W	28543	5905339285430	34
HBM BRACKET 200W	28544	5905339285447	34
HBM GRID 100/150W	28545	5905339285454	34
HBM GRID 200W	28546	5905339285461	34
HBM LENS 60D 100/150W	28537	5905339285379	34
HBM LENS 60D 200W	28540	5905339285409	34
HBM LENS 90D 100/150W	28538	5905339285386	34
HBM LENS 90D 200W	28541	5905339285416	35
HBM PC 100D 100/150W	28539	5905339285393	35
HBM PC 100D 200W	28542	5905339285423	35
HBM REF ALU100/150W	28533	5905339285331	35
HBM REF ALU200W	28534	5905339285348	35
HBM REF PC100/150W	28535	5905339285355	35
HBM REF PC200W	28536	5905339285362	35
HERON LED B	27600	5905339276001	47
HERON LED W	27601	5905339276018	47
HIBO LED 100W-NW	30481	8592969304814	75
HIBO LED 150W-NW	30482	8592969304821	75
HIBO LED 200W-NW	30483	8592969304838	75
HIBO LED 50W-NW	30480	8592969304807	75
IQ-LED A60 10,5W-CW	27278	5905339272782	6
IQ-LED A60 10,5W-NW	27277	5905339272775	5
IQ-LED A60 10,5W-WW	27276	5905339272768	5
IQ-LED A60 14W-CW	27281	5905339272812	6
IQ-LED A60 14W-NW	27280	5905339272805	6
IQ-LED A60 14W-WW	27279	5905339272799	6
IQ-LED A60 5,5W-CW	27272	5905339272720	6
IQ-LED A60 5,5W-NW	27271	5905339272713	6
IQ-LED A60 5,5W-WW	27270	5905339272706	6
IQ-LED A60 9W-CW	27275	5905339272751	7
IQ-LED A60 9W-NW	27274	5905339272744	7
IQ-LED A60 9W-WW	27273	5905339272737	7
IQ-LED C37E14 5,5W-CW	27296	5905339272966	7
IQ-LED C37E14 5,5W-NW	27295	5905339272959	7
IQ-LED C37E14 5,5W-WW	27294	5905339272942	7
IQ-LED C37E14 7,5W-CW	27299	5905339272997	8
IQ-LED C37E14 7,5W-NW	27298	5905339272980	8
IQ-LED C37E14 7,5W-WW	27297	5905339272973	7
IQ-LED G45E14 5,5W-CW	27302	5905339273024	8
IQ-LED G45E14 5,5W-NW	27301	5905339273017	8
IQ-LED G45E14 5,5W-WW	27300	5905339273000	8
IQ-LED G45E14 7,5W-CW	27308	5905339273086	9
IQ-LED G45E14 7,5W-NW	27307	5905339273079	9
IQ-LED G45E14 7,5W-WW	27306	5905339273062	9
IQ-LED G45E27 5,5W-CW	27305	5905339273055	9
IQ-LED G45E27 5,5W-NW	27304	5905339273048	8
IQ-LED G45E27 5,5W-WW	27303	5905339273031	8

IQ-LED G45E27 7,5W-CW	27311	5905339273116	9
IQ-LED G45E27 7,5W-NW	27310	5905339273109	9
IQ-LED G45E27 7,5W-WW	27309	5905339273093	9
IQ-LEDDIM A60 15W-CW	27293	5905339272935	10
IQ-LEDDIM A60 15W-NW	27292	5905339272928	10
IQ-LEDDIM A60 15W-WW	27291	5905339272911	10
IQ-LEDDIM A60 5,5W-CW	27284	5905339272843	11
IQ-LEDDIM A60 5,5W-NW	27283	5905339272836	10
IQ-LEDDIM A60 5,5W-WW	27282	5905339272829	10
IQ-LEDDIM A60 8,5W-CW	27287	5905339272874	11
IQ-LEDDIM A60 8,5W-NW	27286	5905339272867	11
IQ-LEDDIM A60 8,5W-WW	27285	5905339272850	11
IQ-LEDDIM A6012,5W-CW	27290	5905339272904	11
IQ-LEDDIM A6012,5W-NW	27289	5905339272898	11
IQ-LEDDIM A6012,5W-WW	27288	5905339272881	11
ISTI LED B	27361	5905339273611	48
ISTI LED W	27360	5905339273604	48
iTECH C1 302 M AT W	27053	5902052505586	54
iTECH C1 302 M ST W	27382	5902052505463	54
iTECH F2 105 M ST W	27383	5902052505760	55
iTECH M2 302 AT	27050	5902052504749	55
iTECH M2 302 M ST W	27380	5902052504626	55
iTECH M5 105 M ST W	27381	5902052504688	55
iTECHF1302MATW	27635	5902052505821	55
iTECHF2105MATW	27638	5902052505883	56
iTECHM5105MATW	27622	5902052504800	56
KASSI G9 L-W	27010	5905339270108	42
KASSI G9 O-W	27011	5905339270115	42
KRALA CORD-2M	28275	5905339282750	28
KRALA LED 45W NW	28270	5905339282705	28
KRALA PLUG-1M	28271	5905339282712	28
KRALA PP-0,35M	28274	5905339282743	28
KRALA PP-1M	28273	5905339282736	28
KRALA PR-I	28272	5905339282729	28
KRALA SENSOR	28276	5905339282767	28
LINER LED 18W-NW	27260	5905339282606	29
LINER LED 36W-NW	27261	5905339282613	29
LINER LED 45W-NW	27262	5905339282620	29
MEBA 4LED 2X120 OP PS	26964	5905339269645	29
MEBA 4LED 2X120 PS	26961	5905339269614	30
MEBA 4LED 2X150 OP PS	26965	5905339269652	30
MEBA 4LED 2X150 PS	26962	5905339269621	30
MEBA 4LED 2X60 OP PS	26963	5905339269638	30
MEBA 4LED 2X60 PS	26960	5905339269607	30
MORTA AR/ES L-B	27963	5905339279637	43
MORTA AR/ES L-SR	27962	5905339279620	42
MORTA AR/ES O-B	27961	5905339279613	42
MORTA AR/ES O-SR	27960	5905339279606	42
OFIS	xxx	xxx	92-97
OGIVA D35 GR	27001	5905339270016	38
ONTEC G AT005 301	25435	5902052559732	60
ONTEC G E1B 101 M ST/W	27394	5902052559688	60

ONTEC R C1 102 M ST/W	27392	5902052558599	57
ONTEC R C1 302 M ST/W	27393	5902052558605	57
ONTEC R M2 102 M ST/W	27390	5902052556755	57
ONTEC S M1 301 M AT W	27054	5902052500963	58
ONTEC S M2 102 M AT C	27057	5902052501021	58
ONTEC S W1 302 M COLD AT W	25436	5902052503063	58
ONTEC S W1 302 M COLD ST	27895	5902052502943	58
ONTECCC1102MAT/W	27684	5902052557554	59
ONTECCC1102MST/W	27902	5902052557493	59
ONTECCM2102MAT/W	27672	5902052556090	59
ONTECCM2102MST/W	27838	5902052556038	59
ONTECGE1B101MAT/W	27750	5902052559725	60
OntecRC1102MAT/W	27738	5902052558650	57
OntecRM2102MAT/W	27730	5902052556816	57
PESSA LED IP44 17W-NW	27533	5905339275332	50
PESSA LED IP44 17W-WW	27532	5905339275325	50
PESSA LED IP44 9W-NW	27531	5905339275318	50
PESSA LED IP44 9W-WW	27530	5905339275301	50
PICTO ONTEC G TMP1	27480	5905339274809	61
PICTO ONTEC G TMP10	27487	5905339274878	61
PICTO ONTEC G TMP11	27488	5905339274885	61
PICTO ONTEC G TMP12	27489	5905339274892	61
PICTO ONTEC G TMP13	27490	5905339274908	62
PICTO ONTEC G TMP14	27491	5905339274915	62
PICTO ONTEC G TMP15	27492	5905339274922	62
PICTO ONTEC G TMP16	27493	5905339274939	62
PICTO ONTEC G TMP17	27494	5905339274946	62
PICTO ONTEC G TMP18	27495	5905339274953	63
PICTO ONTEC G TMP2	27481	5905339274816	63
PICTO ONTEC G TMP21	27496	5905339274960	63
PICTO ONTEC G TMP22	27497	5905339274977	63
PICTO ONTEC G TMP23	27498	5905339274984	63
PICTO ONTEC G TMP5	27482	5905339274823	64
PICTO ONTEC G TMP50	27501	5905339275011	64
PICTO ONTEC G TMP51	27502	5905339275028	64
PICTO ONTEC G TMP6	27483	5905339274830	64
PICTO ONTEC G TMP67	27499	5905339274991	64
PICTO ONTEC G TMP68	27500	5905339275004	65
PICTO ONTEC G TMP7	27484	5905339274847	65
PICTO ONTEC G TMP8	27485	5905339274854	65
PICTO ONTEC G TMP9	27486	5905339274861	65
PICTO ONTEC S TMP1	27503	5905339275035	65
PICTO ONTEC S TMP10	27510	5905339275103	66
PICTO ONTEC S TMP11	27511	5905339275110	66
PICTO ONTEC S TMP12	27512	5905339275127	66
PICTO ONTEC S TMP13	27513	5905339275134	66
PICTO ONTEC S TMP14	27514	5905339275141	66
PICTO ONTEC S TMP15	27515	5905339275158	67
PICTO ONTEC S TMP16	27516	5905339275165	67
PICTO ONTEC S TMP17	27517	5905339275172	67
PICTO ONTEC S TMP18	27518	5905339275189	67
PICTO ONTEC S TMP2	27504	5905339275042	67

PICTO ONTEC S TMP21	27519	5905339275196	68
PICTO ONTEC S TMP22	27520	5905339275202	68
PICTO ONTEC S TMP23	27521	5905339275219	68
PICTO ONTEC S TMP5	27505	5905339275059	68
PICTO ONTEC S TMP50	27524	5905339275240	68
PICTO ONTEC S TMP51	27525	5905339275257	69
PICTO ONTEC S TMP6	27506	5905339275066	69
PICTO ONTEC S TMP6	27522	5905339275226	69
PICTO ONTEC S TMP68	27523	5905339275233	69
PICTO ONTEC S TMP7	27507	5905339275073	69
PICTO ONTEC S TMP8	27508	5905339275080	70
PICTO ONTEC S TMP9	27509	5905339275097	70
RITI GU10 B/G	27571	5905339275714	39
RITI GU10 W/G	27570	5905339275707	39
SABIK LED PIR CW	27375	5905339273758	49
SABIK LED PIR WW	27374	5905339273741	49
SARI LED B-CH	27980	5905339279804	48
SARI LED B-SR	27981	5905339279811	48
SARI LED W-SR	27981	5905339279828	48
SPAG C B/G	27324	5905339273246	47
SPAG C W/G	27325	5905339273253	47
SPAG D B/G	27326	5905339273260	47
SPAG D W/G	27327	5905339273277	47
SPAG L B/G	27320	5905339273208	46
SPAG L W/G	27321	5905339273215	46
SPAG S B/G	27322	5905339273222	46
SPAG S W/G	27323	5905339273239	46
SPN BRAVO S/P 12030	28505	5905339285058	22
SPN BRAVO S/P 60-62	28504	5905339285041	22
STREET LED 12000 NW	27332	5905339273321	31
STREET LED 4000 NW	27330	5905339273307	31
STREET LED 8000 NW	27331	5905339273314	31
T8 LED GLASSv3 18W-CW	26065	5905339260659	4
T8 LED GLASSv3 18W-NW	26064	5905339260642	4
T8 LED GLASSv3 24W-CW	26067	5905339260673	5
T8 LED GLASSv3 24W-NW	26066	5905339260666	5
T8 LED GLASSv3 9W-CW	26063	5905339260635	4
T8 LED GLASSv3 9W-NW	26062	5905339260628	4
T8 LED N 18W-CW	31024	8595665310240	74
T8 LED N 18W-NW	31021	8595665310219	74
T8 LED N 22W-NW	31022	8595665310226	74
TERRA LED PIR CW	27373	5905339273734	49
TERRA LED PIR WW	27372	5905339273727	49
TEZI LED3,5W GU10-CW	27772	5905339277725	12
TEZI LED3,5W GU10-NW	27771	5905339277718	12
TEZI LED3,5W GU10-WW	27770	5905339277701	12
TEZI LED4,5W GU10-CW	27775	5905339277756	13
TEZI LED4,5W GU10-NW	27774	5905339277749	13
TEZI LED4,5W GU10-WW	27773	5905339277732	12
TEZI LED6W GU10-CW	27778	5905339277787	13
TEZI LED6W GU10-NW	27777	5905339277770	13
TEZI LED6W GU10-WW	27776	5905339277763	13

VARSO LED 18W-NW-L-SE	26980	5905339269805	24
VARSO LED 18W-NW-O-SE	26981	5905339269812	24
VARSO LED 18W-WW-O-SE	26982	5905339269829	24
VARSO LED 24W-NW-L-SE	26983	5905339269836	24
VARSO LED 24W-NW-O-SE	26984	5905339269843	24
VARSO LED 24W-WW-L	26446	5905339264466	24
VIP PRO 180i	27402	5902052504206	70
ZEST. MONT.FLAGI	27397	5902052506415	71
ZEST.MONT.P/T ONTEC G	27051	5902052588640	71
ZEST.MONT.P/T ONTEC R	27399	5902052588671	71
ZEST.MONT.P/T ONTEC S	27398	5902052506422	71
ZESTAW MONT.P/T iTech	25438	5902052588626	71

INDEX BY KANLUX CODES			
BRAVO S 3060 28W-NW-W	22245	5905339222459	18
ONTEC G AT005 301	25435	5902052559732	60
ONTEC S W1 302 M COLD AT W	25436	5902052503063	58
ZESTAW MONT.P/T iTech	25438	5902052588626	71
T8 LED GLASSv3 9W-NW	26062	5905339260628	4
T8 LED GLASSv3 9W-CW	26063	5905339260635	4
T8 LED GLASSv3 18W-NW	26064	5905339260642	4
T8 LED GLASSv3 18W-CW	26065	5905339260659	4
T8 LED GLASSv3 24W-NW	26066	5905339260666	5
T8 LED GLASSv3 24W-CW	26067	5905339260673	5
VARSO LED 24W-WW-L	26446	5905339264466	24
ALREN R DTL-B	26757	5905339267573	43
ALREN R DTL-W	26758	5905339267580	43
AVAR 6060 40W-CW	26771	5905339267719	17
AVAR 6060 40W-WW	26772	5905339267726	17
MEBA 4LED 2X60 PS	26960	5905339269607	30
MEBA 4LED 2X120 PS	26961	5905339269614	30
MEBA 4LED 2X150 PS	26962	5905339269621	30
MEBA 4LED 2X60 OP PS	26963	5905339269638	30
MEBA 4LED 2X120 OP PS	26964	5905339269645	29
MEBA 4LED 2X150 OP PS	26965	5905339269652	30
VARSO LED 18W-NW-L-SE	26980	5905339269805	24
VARSO LED 18W-NW-O-SE	26981	5905339269812	24
VARSO LED 18W-WW-O-SE	26982	5905339269829	24
VARSO LED 24W-NW-L-SE	26983	5905339269836	24
VARSO LED 24W-NW-O-SE	26984	5905339269843	24
ETISSA D20 GR	27000	5905339270009	38
OGIVA D35 GR	27001	5905339270016	38
KASSI G9 L-W	27010	5905339270108	42
KASSI G9 O-W	27011	5905339270115	42
ASIL G9 W-B	27020	5905339270207	41
ASIL G9 W-GR	27021	5905339270214	41
ASIL G9 W-W	27022	5905339270221	41
ASIL G9 C-B	27023	5905339270238	41
ASIL G9 C-GR	27024	5905339270245	41
ASIL G9 C-W	27025	5905339270252	42
ALGO GU10 CL-B	27030	5905339270306	40
ALGO GU10 CL-GR	27031	5905339270313	40
ALGO GU10 CL-W	27032	5905339270320	40
ALGO GU10 CO-B	27033	5905339270337	40
ALGO GU10 CO-GR	27034	5905339270344	40
ALGO GU10 CO-W	27035	5905339270351	41
ALGO GU10 PL-B	27036	5905339270368	38
ALGO GU10 PL-GR	27037	5905339270375	38
ALGO GU10 PL-W	27038	5905339270382	39
ALGO GU10 PO-B	27039	5905339270399	39
ALGO GU10 PO-GR	27040	5905339270405	39
ALGO GU10 PO-W	27041	5905339270412	39
iTECH M2 302 AT	27050	5902052504749	55

ZEST.MONT.P/T ONTEC G	27051	5902052588640	71
iTECH C1 302 M AT W	27053	5902052505586	54
ONTEC S M1 301 M AT W	27054	5902052500963	58
ONTEC S M2 102 M AT C	27057	5902052501021	58
ANTOS LED 10W-NW B	27090	5905339270900	16
ANTOS LED 20W-NW B	27091	5905339270917	16
ANTOS LED 30W-NW B	27092	5905339270924	17
ANTOS LED 50W-NW B	27093	5905339270931	17
ANTOS LED 10W-NW-SE B	27094	5905339270948	16
ANTOS LED 20W-NW-SE B	27095	5905339270955	16
ANTOS LED 30W-NW-SE	27096	5905339270962	17
ANTOS LED 50W-NW-SE B	27097	5905339270979	17
HB PRO LED 100W-NW	27150	5905339271501	26
HB PRO LED 150W-NW	27151	5905339271518	26
HB REF 15 AL	27152	5905339271525	26
HB REF 17 AL	27153	5905339271532	26
CEMIN DTL-GR	27230	5905339272300	43
LINER LED 18W-NW	27260	5905339282606	29
LINER LED 36W-NW	27261	5905339282613	29
LINER LED 45W-NW	27262	5905339282620	29
IQ-LED A60 5,5W-WW	27270	5905339272706	6
IQ-LED A60 5,5W-NW	27271	5905339272713	6
IQ-LED A60 5,5W-CW	27272	5905339272720	6
IQ-LED A60 9W-WW	27273	5905339272737	7
IQ-LED A60 9W-NW	27274	5905339272744	7
IQ-LED A60 9W-CW	27275	5905339272751	7
IQ-LED A60 10,5W-WW	27276	5905339272768	5
IQ-LED A60 10,5W-NW	27277	5905339272775	5
IQ-LED A60 10,5W-CW	27278	5905339272782	6
IQ-LED A60 14W-WW	27279	5905339272799	6
IQ-LED A60 14W-NW	27280	5905339272805	6
IQ-LED A60 14W-CW	27281	5905339272812	6
IQ-LEDDIM A60 5,5W-WW	27282	5905339272829	10
IQ-LEDDIM A60 5,5W-NW	27283	5905339272836	10
IQ-LEDDIM A60 5,5W-CW	27284	5905339272843	11
IQ-LEDDIM A60 8,5W-WW	27285	5905339272850	11
IQ-LEDDIM A60 8,5W-NW	27286	5905339272867	11
IQ-LEDDIM A60 8,5W-CW	27287	5905339272874	11
IQ-LEDDIM A6012,5W-WW	27288	5905339272881	11
IQ-LEDDIM A6012,5W-NW	27289	5905339272898	11
IQ-LEDDIM A6012,5W-CW	27290	5905339272904	11
IQ-LEDDIM A60 15W-WW	27291	5905339272911	10
IQ-LEDDIM A60 15W-NW	27292	5905339272928	10
IQ-LEDDIM A60 15W-CW	27293	5905339272935	10
IQ-LED C37E14 5,5W-WW	27294	5905339272942	7
IQ-LED C37E14 5,5W-NW	27295	5905339272959	7
IQ-LED C37E14 5,5W-CW	27296	5905339272966	7
IQ-LED C37E14 7,5W-WW	27297	5905339272973	7
IQ-LED C37E14 7,5W-NW	27298	5905339272980	8
IQ-LED C37E14 7,5W-CW	27299	5905339272997	8
IQ-LED G45E14 5,5W-WW	27300	5905339273000	8
IQ-LED G45E14 5,5W-NW	27301	5905339273017	8

IQ-LED G45E14 5,5W-CW	27302	5905339273024	8
IQ-LED G45E27 5,5W-WW	27303	5905339273031	8
IQ-LED G45E27 5,5W-NW	27304	5905339273048	8
IQ-LED G45E27 5,5W-CW	27305	5905339273055	9
IQ-LED G45E14 7,5W-WW	27306	5905339273062	9
IQ-LED G45E14 7,5W-NW	27307	5905339273079	9
IQ-LED G45E14 7,5W-CW	27308	5905339273086	9
IQ-LED G45E27 7,5W-WW	27309	5905339273093	9
IQ-LED G45E27 7,5W-NW	27310	5905339273109	9
IQ-LED G45E27 7,5W-CW	27311	5905339273116	9
SPAG L B/G	27320	5905339273208	46
SPAG L W/G	27321	5905339273215	46
SPAG S B/G	27322	5905339273222	46
SPAG S W/G	27323	5905339273239	46
SPAG C B/G	27324	5905339273246	47
SPAG C W/G	27325	5905339273253	47
SPAG D B/G	27326	5905339273260	47
SPAG D W/G	27327	5905339273277	47
STREET LED 4000 NW	27330	5905339273307	31
STREET LED 8000 NW	27331	5905339273314	31
STREET LED 12000 NW	27332	5905339273321	31
ISTI LED W	27360	5905339273604	48
ISTI LED B	27361	5905339273611	48
APUS LED PIR WW	27370	5905339273703	49
APUS LED PIR CW	27371	5905339273710	49
TERRA LED PIR WW	27372	5905339273727	49
TERRA LED PIR CW	27373	5905339273734	49
SABIK LED PIR WW	27374	5905339273741	49
SABIK LED PIR CW	27375	5905339273758	49
iTECH M2 302 M ST W	27380	5902052504626	55
iTECH M5 105 M ST W	27381	5902052504688	55
iTECH C1 302 M ST W	27382	5902052505463	54
iTECH F2 105 M ST W	27383	5902052505760	55
ONTEC R M2 102 M ST/W	27390	5902052556755	57
ONTEC R C1 102 M ST/W	27392	5902052558599	57
ONTEC R C1 302 M ST/W	27393	5902052558605	57
ONTEC G E1B 101 M ST/W	27394	5902052559688	60
ZEST. MONT.FLAGI	27397	5902052506415	71
ZEST.MONT.P/T ONTEC S	27398	5902052506422	71
ZEST.MONT.P/T ONTEC R	27399	5902052588671	71
VIP PRO 180i	27402	5902052504206	70
PICTO ONTEC G TMP1	27480	5905339274809	61
PICTO ONTEC G TMP2	27481	5905339274816	63
PICTO ONTEC G TMP5	27482	5905339274823	64
PICTO ONTEC G TMP6	27483	5905339274830	64
PICTO ONTEC G TMP7	27484	5905339274847	65
PICTO ONTEC G TMP8	27485	5905339274854	65
PICTO ONTEC G TMP9	27486	5905339274861	65
PICTO ONTEC G TMP10	27487	5905339274878	61
PICTO ONTEC G TMP11	27488	5905339274885	61
PICTO ONTEC G TMP12	27489	5905339274892	61
PICTO ONTEC G TMP13	27490	5905339274908	62

INDEX BY KANLUX CODES



INDEX BY KANLUX CODES

IQ-LED G45E14 5,5W-CW	27302	5905339273024	8
IQ-LED G45E27 5,5W-WW	27303	5905339273031	8
IQ-LED G45E27 5,5W-NW	27304	5905339273048	8
IQ-LED G45E27 5,5W-CW	27305	5905339273055	9
IQ-LED G45E14 7,5W-WW	27306	5905339273062	9
IQ-LED G45E14 7,5W-NW	27307	5905339273079	9
IQ-LED G45E14 7,5W-CW	27308	5905339273086	9
IQ-LED G45E27 7,5W-WW	27309	5905339273093	9
IQ-LED G45E27 7,5W-NW	27310	5905339273109	9
IQ-LED G45E27 7,5W-CW	27311	5905339273116	9
SPAG L B/G	27320	5905339273208	46
SPAG L W/G	27321	5905339273215	46
SPAG S B/G	27322	5905339273222	46
SPAG S W/G	27323	5905339273239	46
SPAG C B/G	27324	5905339273246	47
SPAG C W/G	27325	5905339273253	47
SPAG D B/G	27326	5905339273260	47
SPAG D W/G	27327	5905339273277	47
STREET LED 4000 NW	27330	5905339273307	31
STREET LED 8000 NW	27331	5905339273314	31
STREET LED 12000 NW	27332	5905339273321	31
ISTI LED W	27360	5905339273604	48
ISTI LED B	27361	5905339273611	48
APUS LED PIR WW	27370	5905339273703	49
APUS LED PIR CW	27371	5905339273710	49
TERRA LED PIR WW	27372	5905339273727	49
TERRA LED PIR CW	27373	5905339273734	49
SABIK LED PIR WW	27374	5905339273741	49
SABIK LED PIR CW	27375	5905339273758	49
iTECH M2 302 M ST W	27380	5902052504626	55
iTECH M5 105 M ST W	27381	5902052504688	55
iTECH C1 302 M ST W	27382	5902052505463	54
iTECH F2 105 M ST W	27383	5902052505760	55
ONTEC R M2 102 M ST/W	27390	5902052556755	57
ONTEC R C1 102 M ST/W	27392	5902052558599	57
ONTEC R C1 302 M ST/W	27393	5902052558605	57
ONTEC G E1B 101 M ST/W	27394	5902052559688	60
ZEST. MONT.FLAGE	27397	5902052506415	71
ZEST.MONT.P/T ONTEC S	27398	5902052506422	71
ZEST.MONT.P/T ONTEC R	27399	5902052588671	71
VIP PRO 180i	27402	5902052504206	70
PICTO ONTEC G TMP1	27480	5905339274809	61
PICTO ONTEC G TMP2	27481	5905339274816	63
PICTO ONTEC G TMP5	27482	5905339274823	64
PICTO ONTEC G TMP6	27483	5905339274830	64
PICTO ONTEC G TMP7	27484	5905339274847	65
PICTO ONTEC G TMP8	27485	5905339274854	65
PICTO ONTEC G TMP9	27486	5905339274861	65
PICTO ONTEC G TMP10	27487	5905339274878	61
PICTO ONTEC G TMP11	27488	5905339274885	61
PICTO ONTEC G TMP12	27489	5905339274892	61
PICTO ONTEC G TMP13	27490	5905339274908	62

PICTO ONTEC G TMP14	27491	5905339274915	62
PICTO ONTEC G TMP15	27492	5905339274922	62
PICTO ONTEC G TMP16	27493	5905339274939	62
PICTO ONTEC G TMP17	27494	5905339274946	62
PICTO ONTEC G TMP18	27495	5905339274953	63
PICTO ONTEC G TMP21	27496	5905339274960	63
PICTO ONTEC G TMP22	27497	5905339274977	63
PICTO ONTEC G TMP23	27498	5905339274984	63
PICTO ONTEC G TMP67	27499	5905339274991	64
PICTO ONTEC G TMP68	27500	5905339275004	65
PICTO ONTEC G TMP50	27501	5905339275011	64
PICTO ONTEC G TMP51	27502	5905339275028	64
PICTO ONTEC S TMP1	27503	5905339275035	65
PICTO ONTEC S TMP2	27504	5905339275042	67
PICTO ONTEC S TMP5	27505	5905339275059	68
PICTO ONTEC S TMP6	27506	5905339275066	69
PICTO ONTEC S TMP7	27507	5905339275073	69
PICTO ONTEC S TMP8	27508	5905339275080	70
PICTO ONTEC S TMP9	27509	5905339275097	70
PICTO ONTEC S TMP10	27510	5905339275103	66
PICTO ONTEC S TMP11	27511	5905339275110	66
PICTO ONTEC S TMP12	27512	5905339275127	66
PICTO ONTEC S TMP13	27513	5905339275134	66
PICTO ONTEC S TMP14	27514	5905339275141	66
PICTO ONTEC S TMP15	27515	5905339275158	67
PICTO ONTEC S TMP16	27516	5905339275165	67
PICTO ONTEC S TMP17	27517	5905339275172	67
PICTO ONTEC S TMP18	27518	5905339275189	67
PICTO ONTEC S TMP21	27519	5905339275196	68
PICTO ONTEC S TMP22	27520	5905339275202	68
PICTO ONTEC S TMP23	27521	5905339275219	68
PICTO ONTEC S TMP6	27522	5905339275226	69
PICTO ONTEC S TMP68	27523	5905339275233	69
PICTO ONTEC S TMP50	27524	5905339275240	68
PICTO ONTEC S TMP51	27525	5905339275257	69
PESSA LED IP44 9W-WW	27530	5905339275301	50
PESSA LED IP44 9W-NW	27531	5905339275318	50
PESSA LED IP44 17W-WW	27532	5905339275325	50
PESSA LED IP44 17W-NW	27533	5905339275332	50
ELNER LED 8W-NW-B	27560	5905339275608	25
ELNER LED 15W-NW-B	27561	5905339275615	25
ELNER LED 8W-NW-SE-B	27562	5905339275622	25
ELNER LED 15W-NW-SE-B	27563	5905339275639	25
RITI GU10 W/G	27570	5905339275707	39
RITI GU10 B/G	27571	5905339275714	39
HERON LED B	27600	5905339276001	47
HERON LED W	27601	5905339276018	47
iTECHM5105MATW	27622	5902052504800	56
iTECHF1302MATW	27635	5902052505821	55
iTECHF2105MATW	27638	5902052505883	56
ONTECCM2102MAT/W	27672	5902052556090	59
ONTECCC1102MAT/W	27684	5902052557554	59

OntecRM2102MAT/W	27730	5902052556816	57
OntecRC1102MAT/W	27738	5902052558650	57
ONTECGE1B101MAT/W	27750	5902052559725	60
TEZI LED3,5W GU10-WW	27770	5905339277701	12
TEZI LED3,5W GU10-NW	27771	5905339277718	12
TEZI LED3,5W GU10-CW	27772	5905339277725	12
TEZI LED4,5W GU10-WW	27773	5905339277732	12
TEZI LED4,5W GU10-NW	27774	5905339277749	13
TEZI LED4,5W GU10-CW	27775	5905339277756	13
TEZI LED6W GU10-WW	27776	5905339277763	13
TEZI LED6W GU10-NW	27777	5905339277770	13
TEZI LED6W GU10-CW	27778	5905339277787	13
ELNIS S W	27800	5905339278005	44
ELNIS S W/A	27801	5905339278012	44
ELNIS S A/W	27802	5905339278029	44
ELNIS S A/C	27803	5905339278036	44
ELNIS L W	27804	5905339278043	44
ELNIS L W/A	27805	5905339278050	45
ELNIS L W/C	27806	5905339278067	45
ELNIS L A/W	27807	5905339278074	45
ELNIS L A/C	27808	5905339278081	45
ELNIS L A	27809	5905339278098	45
ELNIS L B/G	27810	5905339278104	45
ELNIS L C/W	27811	5905339278111	45
ELNIS L C/A	27812	5905339278128	46
ONTECCM2102MST/W	27838	5902052556038	59
ONTEC S W1 302 M COLD ST	27895	5902052502943	58
ONTECCC1102MST/W	27902	5902052557493	59
MORTA AR/ES O-SR	27960	5905339279606	42
MORTA AR/ES O-B	27961	5905339279613	42
MORTA AR/ES L-SR	27962	5905339279620	42
MORTA AR/ES L-B	27963	5905339279637	43
SARI LED B-CH	27980	5905339279804	48
SARI LED B-SR	27981	5905339279811	48
SARI LED W-SR	27981	5905339279828	48
BRAVO P 36W6060NW W	28000	5905339280008	19
BRAVO P 36W6060NW SR	28001	5905339280015	19
BRAVO PU36W6060NW W	28002	5905339280022	20
BRAVO PU36W6060NW SR	28003	5905339280039	20
BRAVO P 36W6060WW W	28004	5905339280046	19
BRAVO P 36W6060WW SR	28005	5905339280053	19
BRAVO P 36W6060CW W	28006	5905339280060	19
BRAVO P 36W6060CW SR	28007	5905339280077	18
BRAVO P 45W6060NW W	28008	5905339280084	19
BRAVO P 45W6060NW SR	28009	5905339280091	19
BRAVO S 40W6060NW W	28010	5905339280107	21
BRAVO S 40W6060NW SR	28011	5905339280114	21
BRAVO SU40W6060NW W	28012	5905339280121	22
BRAVO SU40W6060NW SR	28013	5905339280138	21
BRAVO S 40W6060WW W	28014	5905339280145	21
BRAVO S 40W6060WW SR	28015	5905339280152	21
BRAVO S 40W6060CW W	28016	5905339280169	20

BRAVO S 40W6060CW SR	28017	5905339280176	20
BRAVO S 50W6060NW W	28018	5905339280183	21
BRAVO S 50W6060NW SR	28019	5905339280190	21
BRAVO P 36W12030NW W	28020	5905339280206	18
BRAVO P 36W12030NW SR	28021	5905339280213	18
BRAVO S 40W12030NW W	28022	5905339280220	20
BRAVO S 40W12030NW SR	28023	5905339280237	20
BRAVO PU36W6262NW W	28024	5905339280244	20
BRAVO DRIVER 36W	28025	5905339280251	23
BRAVO DRIVER 40W	28026	5905339280268	23
BRAVO DRIVER 45W	28027	5905339280275	23
BRAVO DRIVER 50W	28028	5905339280282	23
BRAVO DRIVER 28W	28029	5905339280299	23
KRALA LED 45W NW	28270	5905339282705	28
KRALA PLUG-1M	28271	5905339282712	28
KRALA PR-I	28272	5905339282729	28
KRALA PP-1M	28273	5905339282736	28
KRALA PP-0,35M	28274	5905339282743	28
KRALA CORD-2M	28275	5905339282750	28
KRALA SENSOR	28276	5905339282767	28
FL MASTER LED 100W-NW	28490	5905339284907	32
FL MASTER LED 150W-NW	28491	5905339284914	32
FL MASTER LED 240W-NW	28492	5905339284921	32
BRAVO S/P GRIP 60-62	28500	5905339285003	22
BRAVO S/P GRIP 12030	28501	5905339285010	22
CLIPS BRAVO S/P 60-62	28502	5905339285027	22
CLIPS BRAVO S/P 12030	28503	5905339285034	22
SPN BRAVO S/P 60-62	28504	5905339285041	22
SPN BRAVO S/P 12030	28505	5905339285058	22
FLM LED 100W-NW-60D	28520	5905339285201	32
FLM LED100W-NW80/150D	28521	5905339285218	32
FLM LED 150W-NW-60D	28522	5905339285225	32
FLM LED150W-NW80/150D	28523	5905339285232	33
FLM LED 240W-NW-60D	28524	5905339285249	32
FLM LED240W-NW80/150D	28525	5905339285256	33
HB MASTER LED 100W	28530	5905339285300	33
HB MASTER LED 150W	28531	5905339285317	33
HB MASTER LED 200W	28532	5905339285324	33
HBM REF ALU100/150W	28533	5905339285331	35
HBM REF ALU200W	28534	5905339285348	35
HBM REF PC100/150W	28535	5905339285355	35
HBM REF PC200W	28536	5905339285362	35
HBM LENS 60D 100/150W	28537	5905339285379	34
HBM LENS 90D 100/150W	28538	5905339285386	34
HBM PC 100D 100/150W	28539	5905339285393	35
HBM LENS 60D 200W	28540	5905339285409	34
HBM LENS 90D 200W	28541	5905339285416	35
HBM PC 100D 200W	28542	5905339285423	35
HBM BRACKET 100/150W	28543	5905339285430	34
HBM BRACKET 200W	28544	5905339285447	34
HBM GRID 100/150W	28545	5905339285454	34
HBM GRID 200W	28546	5905339285461	34

HIBO LED 50W-NW	30480	8592969304807	75
HIBO LED 100W-NW	30481	8592969304814	75
HIBO LED 150W-NW	30482	8592969304821	75
HIBO LED 200W-NW	30483	8592969304838	75
G9 LED 2,5W-WW	30490	8592969304906	74
T8 LED N 18W-NW	31021	8595665310219	74
T8 LED N 22W-NW	31022	8595665310226	74
T8 LED N 18W-CW	31024	8595665310240	74
ALIN LED	xxx	xxx	80-89
ALIN FOR LED	xxx	xxx	90-91
OFIS	xxx	xxx	92-97
FUTURIO	xxx	xxx	98-102

INDEX BY PAGE NUMBER			
T8 LED GLASSv3 9W-NW	26062	5905339260628	4
T8 LED GLASSv3 9W-CW	26063	5905339260635	4
T8 LED GLASSv3 18W-NW	26064	5905339260642	4
T8 LED GLASSv3 18W-CW	26065	5905339260659	4
T8 LED GLASSv3 24W-NW	26066	5905339260666	5
T8 LED GLASSv3 24W-CW	26067	5905339260673	5
IQ-LED A60 10,5W-WW	27276	5905339272768	5
IQ-LED A60 10,5W-NW	27277	5905339272775	5
IQ-LED A60 10,5W-CW	27278	5905339272782	6
IQ-LED A60 14W-WW	27279	5905339272799	6
IQ-LED A60 14W-NW	27280	5905339272805	6
IQ-LED A60 14W-CW	27281	5905339272812	6
IQ-LED A60 5,5W-WW	27270	5905339272706	6
IQ-LED A60 5,5W-NW	27271	5905339272713	6
IQ-LED A60 5,5W-CW	27272	5905339272720	6
IQ-LED A60 9W-WW	27273	5905339272737	7
IQ-LED A60 9W-NW	27274	5905339272744	7
IQ-LED A60 9W-CW	27275	5905339272751	7
IQ-LED C37E14 5,5W-WW	27294	5905339272942	7
IQ-LED C37E14 5,5W-NW	27295	5905339272959	7
IQ-LED C37E14 5,5W-CW	27296	5905339272966	7
IQ-LED C37E14 7,5W-WW	27297	5905339272973	7
IQ-LED C37E14 7,5W-NW	27298	5905339272980	8
IQ-LED C37E14 7,5W-CW	27299	5905339272997	8
IQ-LED G45E14 5,5W-WW	27300	5905339273000	8
IQ-LED G45E14 5,5W-NW	27301	5905339273017	8
IQ-LED G45E14 5,5W-CW	27302	5905339273024	8
IQ-LED G45E27 5,5W-WW	27303	5905339273031	8
IQ-LED G45E27 5,5W-NW	27304	5905339273048	8
IQ-LED G45E27 5,5W-CW	27305	5905339273055	9
IQ-LED G45E14 7,5W-WW	27306	5905339273062	9
IQ-LED G45E14 7,5W-NW	27307	5905339273079	9
IQ-LED G45E14 7,5W-CW	27308	5905339273086	9
IQ-LED G45E27 7,5W-WW	27309	5905339273093	9
IQ-LED G45E27 7,5W-NW	27310	5905339273109	9
IQ-LED G45E27 7,5W-CW	27311	5905339273116	9
IQ-LEDDIM A60 15W-WW	27291	5905339272911	10
IQ-LEDDIM A60 15W-NW	27292	5905339272928	10
IQ-LEDDIM A60 15W-CW	27293	5905339272935	10
IQ-LEDDIM A60 5,5W-WW	27282	5905339272829	10
IQ-LEDDIM A60 5,5W-NW	27283	5905339272836	10
IQ-LEDDIM A60 5,5W-CW	27284	5905339272843	11
IQ-LEDDIM A60 8,5W-WW	27285	5905339272850	11
IQ-LEDDIM A60 8,5W-NW	27286	5905339272867	11
IQ-LEDDIM A60 8,5W-CW	27287	5905339272874	11
IQ-LEDDIM A6012,5W-WW	27288	5905339272881	11
IQ-LEDDIM A6012,5W-NW	27289	5905339272898	11
IQ-LEDDIM A6012,5W-CW	27290	5905339272904	11
TEZI LED3,5W GU10-WW	27770	5905339277701	12

TEZI LED3,5W GU10-NW	27771	5905339277718	12
TEZI LED3,5W GU10-CW	27772	5905339277725	12
TEZI LED4,5W GU10-WW	27773	5905339277732	12
TEZI LED4,5W GU10-NW	27774	5905339277749	13
TEZI LED4,5W GU10-CW	27775	5905339277756	13
TEZI LED6W GU10-WW	27776	5905339277763	13
TEZI LED6W GU10-NW	27777	5905339277770	13
TEZI LED6W GU10-CW	27778	5905339277787	13
ANTOS LED 10W-NW B	27090	5905339270900	16
ANTOS LED 10W-NW-SE B	27094	5905339270948	16
ANTOS LED 20W-NW B	27091	5905339270917	16
ANTOS LED 20W-NW-SE B	27095	5905339270955	16
ANTOS LED 30W-NW B	27092	5905339270924	17
ANTOS LED 30W-NW-SE	27096	5905339270962	17
ANTOS LED 50W-NW B	27093	5905339270931	17
ANTOS LED 50W-NW-SE B	27097	5905339270979	17
AVAR 6060 40W-CW	26771	5905339267719	17
AVAR 6060 40W-WW	26772	5905339267726	17
BRAVO S 3060 28W-NW-W	22245	5905339222459	18
BRAVO P 36W12030NW SR	28021	5905339280213	18
BRAVO P 36W12030NW W	28020	5905339280206	18
BRAVO P 36W6060CW SR	28007	5905339280077	18
BRAVO P 36W6060CW W	28006	5905339280060	19
BRAVO P 36W6060NW SR	28001	5905339280015	19
BRAVO P 36W6060NW W	28000	5905339280008	19
BRAVO P 36W6060WW SR	28005	5905339280053	19
BRAVO P 36W6060WW W	28004	5905339280046	19
BRAVO P 45W6060NW SR	28009	5905339280091	19
BRAVO P 45W6060NW W	28008	5905339280084	19
BRAVO PU36W6060NW SR	28003	5905339280039	20
BRAVO PU36W6060NW W	28002	5905339280022	20
BRAVO PU36W6262NW W	28024	5905339280244	20
BRAVO S 40W12030NW SR	28023	5905339280237	20
BRAVO S 40W12030NW W	28022	5905339280220	20
BRAVO S 40W6060CW SR	28017	5905339280176	20
BRAVO S 40W6060CW W	28016	5905339280169	20
BRAVO S 40W6060NW SR	28011	5905339280114	21
BRAVO S 40W6060NW W	28010	5905339280107	21
BRAVO S 40W6060WW SR	28015	5905339280152	21
BRAVO S 40W6060WW W	28014	5905339280145	21
BRAVO S 50W6060NW SR	28019	5905339280190	21
BRAVO S 50W6060NW W	28018	5905339280183	21
BRAVO SU40W6060NW SR	28013	5905339280138	21
BRAVO SU40W6060NW W	28012	5905339280121	22
BRAVO S/P GRIP 12030	28501	5905339285010	22
BRAVO S/P GRIP 60-62	28500	5905339285003	22
CLIPS BRAVO S/P 12030	28503	5905339285034	22
CLIPS BRAVO S/P 60-62	28502	5905339285027	22
SPN BRAVO S/P 12030	28505	5905339285058	22
SPN BRAVO S/P 60-62	28504	5905339285041	22
BRAVO DRIVER 28W	28029	5905339280299	23
BRAVO DRIVER 36W	28025	5905339280251	23

BRAVO DRIVER 40W	28026	5905339280268	23
BRAVO DRIVER 45W	28027	5905339280275	23
BRAVO DRIVER 50W	28028	5905339280282	23
VARSO LED 18W-NW-L-SE	26980	5905339269805	24
VARSO LED 18W-NW-O-SE	26981	5905339269812	24
VARSO LED 18W-WW-O-SE	26982	5905339269829	24
VARSO LED 24W-NW-L-SE	26983	5905339269836	24
VARSO LED 24W-NW-O-SE	26984	5905339269843	24
VARSO LED 24W-WW-L	26446	5905339264466	24
ELNER LED 15W-NW-B	27561	5905339275615	25
ELNER LED 15W-NW-SE-B	27563	5905339275639	25
ELNER LED 8W-NW-B	27560	5905339275608	25
ELNER LED 8W-NW-SE-B	27562	5905339275622	25
HB PRO LED 100W-NW	27150	5905339271501	26
HB PRO LED 150W-NW	27151	5905339271518	26
HB REF 15 AL.	27152	5905339271525	26
HB REF 17 AL.	27153	5905339271532	26
KRALA LED 45W NW	28270	5905339282705	28
KRALA CORD-2M	28275	5905339282750	28
KRALA PLUG-1M	28271	5905339282712	28
KRALA PP-0,35M	28274	5905339282743	28
KRALA PP-1M	28273	5905339282736	28
KRALA PR-I	28272	5905339282729	28
KRALA SENSOR	28276	5905339282767	28
LINER LED 18W-NW	27260	5905339282606	29
LINER LED 36W-NW	27261	5905339282613	29
LINER LED 45W-NW	27262	5905339282620	29
MEBA 4LED 2X120 OP PS	26964	5905339269645	29
MEBA 4LED 2X120 PS	26961	5905339269614	30
MEBA 4LED 2X150 OP PS	26965	5905339269652	30
MEBA 4LED 2X150 PS	26962	5905339269621	30
MEBA 4LED 2X60 OP PS	26963	5905339269638	30
MEBA 4LED 2X60 PS	26960	5905339269607	30
STREET LED 4000 NW	27330	5905339273307	31
STREET LED 8000 NW	27331	5905339273314	31
STREET LED 12000 NW	27332	5905339273321	31
FL MASTER LED 100W-NW	28490	5905339284907	32
FL MASTER LED 150W-NW	28491	5905339284914	32
FL MASTER LED 240W-NW	28492	5905339284921	32
FLM LED 100W-NW-60D	28520	5905339285201	32
FLM LED 150W-NW-60D	28522	5905339285225	32
FLM LED 240W-NW-60D	28524	5905339285249	32
FLM LED100W-NW80/150D	28521	5905339285218	32
FLM LED150W-NW80/150D	28523	5905339285232	33
FLM LED240W-NW80/150D	28525	5905339285256	33
HB MASTER LED 100W	28530	5905339285300	33
HB MASTER LED 150W	28531	5905339285317	33
HB MASTER LED 200W	28532	5905339285324	33
HBM BRACKET 100/150W	28543	5905339285430	34
HBM BRACKET 200W	28544	5905339285447	34
HBM GRID 100/150W	28545	5905339285454	34
HBM GRID 200W	28546	5905339285461	34

INDEX BY PAGE NUMBER




INDEX BY PAGE NUMBER

BRAVO DRIVER 40W	28026	5905339280268	23
BRAVO DRIVER 45W	28027	5905339280275	23
BRAVO DRIVER 50W	28028	5905339280282	23
VARSO LED 18W-NW-L-SE	26980	5905339269805	24
VARSO LED 18W-NW-O-SE	26981	5905339269812	24
VARSO LED 18W-WW-O-SE	26982	5905339269829	24
VARSO LED 24W-NW-L-SE	26983	5905339269836	24
VARSO LED 24W-NW-O-SE	26984	5905339269843	24
VARSO LED 24W-WW-L	26446	5905339264466	24
ELNER LED 15W-NW-B	27561	5905339275615	25
ELNER LED 15W-NW-SE-B	27563	5905339275639	25
ELNER LED 8W-NW-B	27560	5905339275608	25
ELNER LED 8W-NW-SE-B	27562	5905339275622	25
HB PRO LED 100W-NW	27150	5905339271501	26
HB PRO LED 150W-NW	27151	5905339271518	26
HB REF 15 AL.	27152	5905339271525	26
HB REF 17 AL.	27153	5905339271532	26
KRALA LED 45W NW	28270	5905339282705	28
KRALA CORD-2M	28275	5905339282750	28
KRALA PLUG-1M	28271	5905339282712	28
KRALA PP-0,35M	28274	5905339282743	28
KRALA PP-1M	28273	5905339282736	28
KRALA PR-I	28272	5905339282729	28
KRALA SENSOR	28276	5905339282767	28
LINER LED 18W-NW	27260	5905339282606	29
LINER LED 36W-NW	27261	5905339282613	29
LINER LED 45W-NW	27262	5905339282620	29
MEBA 4LED 2X120 OP PS	26964	5905339269645	29
MEBA 4LED 2X120 PS	26961	5905339269614	30
MEBA 4LED 2X150 OP PS	26965	5905339269652	30
MEBA 4LED 2X150 PS	26962	5905339269621	30
MEBA 4LED 2X60 OP PS	26963	5905339269638	30
MEBA 4LED 2X60 PS	26960	5905339269607	30
STREET LED 4000 NW	27330	5905339273307	31
STREET LED 8000 NW	27331	5905339273314	31
STREET LED 12000 NW	27332	5905339273321	31
FL MASTER LED 100W-NW	28490	5905339284907	32
FL MASTER LED 150W-NW	28491	5905339284914	32
FL MASTER LED 240W-NW	28492	5905339284921	32
FLM LED 100W-NW-60D	28520	5905339285201	32
FLM LED 150W-NW-60D	28522	5905339285225	32
FLM LED 240W-NW-60D	28524	5905339285249	32
FLM LED100W-NW80/150D	28521	5905339285218	32
FLM LED150W-NW80/150D	28523	5905339285232	33
FLM LED240W-NW80/150D	28525	5905339285256	33
HB MASTER LED 100W	28530	5905339285300	33
HB MASTER LED 150W	28531	5905339285317	33
HB MASTER LED 200W	28532	5905339285324	33
HBM BRACKET 100/150W	28543	5905339285430	34
HBM BRACKET 200W	28544	5905339285447	34
HBM GRID 100/150W	28545	5905339285454	34
HBM GRID 200W	28546	5905339285461	34







HBM LENS 60D 100/150W	28537	5905339285379	34
HBM LENS 60D 200W	28540	5905339285409	34
HBM LENS 90D 100/150W	28538	5905339285386	34
HBM LENS 90D 200W	28541	5905339285416	35
HBM PC 100D 100/150W	28539	5905339285393	35
HBM PC 100D 200W	28542	5905339285423	35
HBM REF ALU100/150W	28533	5905339285331	35
HBM REF ALU200W	28534	5905339285348	35
HBM REF PC100/150W	28535	5905339285355	35
HBM REF PC200W	28536	5905339285362	35
ETISSA D20 GR	27000	5905339270009	38
OGIVA D35 GR	27001	5905339270016	38
ALGO GU10 PL-B	27036	5905339270368	38
ALGO GU10 PL-GR	27037	5905339270375	38
ALGO GU10 PL-W	27038	5905339270382	39
ALGO GU10 PO-B	27039	5905339270399	39
ALGO GU10 PO-GR	27040	5905339270405	39
ALGO GU10 PO-W	27041	5905339270412	39
RITI GU10 W/G	27570	5905339275707	39
RITI GU10 B/G	27571	5905339275714	39
ALGO GU10 CL-B	27030	5905339270306	40
ALGO GU10 CL-GR	27031	5905339270313	40
ALGO GU10 CL-W	27032	5905339270320	40
ALGO GU10 CO-B	27033	5905339270337	40
ALGO GU10 CO-GR	27034	5905339270344	40
ALGO GU10 CO-W	27035	5905339270351	41
ASIL G9 W-B	27020	5905339270207	41
ASIL G9 W-GR	27021	5905339270214	41
ASIL G9 W-W	27022	5905339270221	41
ASIL G9 C-B	27023	5905339270238	41
ASIL G9 C-GR	27024	5905339270245	41
ASIL G9 C-W	27025	5905339270252	42
KASSI G9 L-W	27010	5905339270108	42
KASSI G9 O-W	27011	5905339270115	42
MORTA AR/ES O-SR	27960	5905339279606	42
MORTA AR/ES O-B	27961	5905339279613	42
MORTA AR/ES L-SR	27962	5905339279620	42
MORTA AR/ES L-B	27963	5905339279637	43
ALREN R DTL-B	26757	5905339267573	43
ALREN R DTL-W	26758	5905339267580	43
CEMIN DTL-GR	27230	5905339272300	43
ELNIS S W	27800	5905339278005	44
ELNIS S W/A	27801	5905339278012	44
ELNIS S A/W	27802	5905339278029	44
ELNIS S A/C	27803	5905339278036	44
ELNIS L W	27804	5905339278043	44
ELNIS L W/A	27805	5905339278050	45
ELNIS L W/C	27806	5905339278067	45
ELNIS L A/W	27807	5905339278074	45
ELNIS L A/C	27808	5905339278081	45
ELNIS L A	27809	5905339278098	45
ELNIS L B/G	27810	5905339278104	45

PICTO ONTEC G TMP1	27480	5905339274809	61
PICTO ONTEC G TMP10	27487	5905339274878	61
PICTO ONTEC G TMP11	27488	5905339274885	61
PICTO ONTEC G TMP12	27489	5905339274892	61
PICTO ONTEC G TMP13	27490	5905339274908	62
PICTO ONTEC G TMP14	27491	5905339274915	62
PICTO ONTEC G TMP15	27492	5905339274922	62
PICTO ONTEC G TMP16	27493	5905339274939	62
PICTO ONTEC G TMP17	27494	5905339274946	62
PICTO ONTEC G TMP18	27495	5905339274953	63
PICTO ONTEC G TMP2	27481	5905339274816	63
PICTO ONTEC G TMP21	27496	5905339274960	63
PICTO ONTEC G TMP22	27497	5905339274977	63
PICTO ONTEC G TMP23	27498	5905339274984	63
PICTO ONTEC G TMP5	27482	5905339274823	64
PICTO ONTEC G TMP50	27501	5905339275011	64
PICTO ONTEC G TMP51	27502	5905339275028	64
PICTO ONTEC G TMP6	27483	5905339274830	64
PICTO ONTEC G TMP67	27499	5905339274991	64
PICTO ONTEC G TMP68	27500	5905339275004	65
PICTO ONTEC G TMP7	27484	5905339274847	65
PICTO ONTEC G TMP8	27485	5905339274854	65
PICTO ONTEC G TMP9	27486	5905339274861	65
PICTO ONTEC S TMP1	27503	5905339275035	65
PICTO ONTEC S TMP10	27510	5905339275103	66
PICTO ONTEC S TMP11	27511	5905339275110	66
PICTO ONTEC S TMP12	27512	5905339275127	66
PICTO ONTEC S TMP13	27513	5905339275134	66
PICTO ONTEC S TMP14	27514	5905339275141	66
PICTO ONTEC S TMP15	27515	5905339275158	67
PICTO ONTEC S TMP16	27516	5905339275165	67
PICTO ONTEC S TMP17	27517	5905339275172	67
PICTO ONTEC S TMP18	27518	5905339275189	67
PICTO ONTEC S TMP2	27504	5905339275042	67
PICTO ONTEC S TMP21	27519	5905339275196	68
PICTO ONTEC S TMP22	27520	5905339275202	68
PICTO ONTEC S TMP23	27521	5905339275219	68
PICTO ONTEC S TMP5	27505	5905339275059	68
PICTO ONTEC S TMP50	27524	5905339275240	68
PICTO ONTEC S TMP51	27525	5905339275257	69
PICTO ONTEC S TMP6	27506	5905339275066	69
PICTO ONTEC S TMP66	27522	5905339275226	69
PICTO ONTEC S TMP68	27523	5905339275233	69
PICTO ONTEC S TMP7	27507	5905339275073	69
PICTO ONTEC S TMP8	27508	5905339275080	70
PICTO ONTEC S TMP9	27509	5905339275097	70
VIP PRO 180i	27402	5902052504206	70
ZEST. MONT.FLAGE	27397	5902052506415	71
ZEST.MONT.P/T ONTEC G	27051	5902052588640	71
ZEST.MONT.P/T ONTEC R	27399	5902052588671	71
ZEST.MONT.P/T ONTEC S	27398	5902052506422	71
ZESTAW MONT.P/T iTech	25438	5902052588626	71









G9 LED 2,5W-WW	30490	8592969304906	74
T8 LED N 18W-NW	31021	8595665310219	74
T8 LED N 22W-NW	31022	8595665310226	74
T8 LED N 18W-CW	31024	8595665310240	74
HIBO LED 50W-NW	30480	8592969304807	75
HIBO LED 100W-NW	30481	8592969304814	75
HIBO LED 150W-NW	30482	8592969304821	75
HIBO LED 200W-NW	30483	8592969304838	75
ALIN LED	xxx	xxx	80-89
ALIN FOR LED	xxx	xxx	90-91
OFIS	xxx	xxx	92-97
FUTURIO	xxx	xxx	98-102

-  Power Supply
-  Power
-  Colour temperature
-  Luminous flux
-  Luminous flux distribution angle
-  Lifetime
-  Cap
-  Type of light source
- IP** Degree of resistance to penetration of foreign solids, dust and humidity
- IK** Degree of protection against mechanical impact
- ON/OFF** Number of switch cycles
-  Allowable ambient temperature range
-  Non-replaceable light source
-  Replaceable light source
-  Motion sensor
-  Dimming function
-  Horizontally movable fitting
Vertically movable fitting




IP Degree of protection against inadvertent contact with the live parts.

0	No protection	No special protection means
1	 Protection against solids bigger than 50 mm	Large parts of a human body, equal to e.g. the area of a palm (no protection against touching). Solids with the diameter above 50 mm.
2	 Protection against solids bigger than 12 mm	A finger or similar objects not longer than 80mm. Solids with the diameter above 12 mm.
3	 Protection against solids bigger than 2,5 mm	Tools, a wire etc. with the diameter or the wire gauge exceeding 2,5 mm. Solids with the diameter above 2,5 mm.
4	 Protection against solids bigger than 1 mm	A wire or a strip 1mm thick. Solids with the diameter above 1 mm.
5	 Dust resistance	Small amount of dust penetrates the shield interior but it is so small that it does not exert a negative influence on the equipment operation.
6	 Dust-proofing	Dust does not penetrate the shield interior.

IP Degree of protection against moisture

0	No protection	No special protection measures
1	 Protection against vertically falling water drops	Vertically falling water drops cannot cause detrimental effects within the equipment
2	 Protection against water drops at up to 15-degree angle of deflection	Vertically falling water drops cannot cause detrimental effects within the equipment when the shield is tilted up to 15 degrees from its normal position.
3	 Protection against sprayed water	Sprayed water falling at a 60-degree angle of deflection from the vertical should not cause detrimental effects
4	 Protection against water splashes	Water splashed onto the shield from any direction should not cause detrimental effects
5	 Protection against water streams	Water from a nozzle directed onto the casing from any direction should not cause detrimental effects
6	 Protection against waves	A flooding water wave or a strong stream cannot penetrate the shield in the amount causing detrimental effects.
7	 Protection against immersion	When the equipment is immersed in water for the predetermined time and at the predetermined pressure, water cannot penetrate the shield in the amount causing detrimental effects.
8	 Protection against deep immersion	The equipment adapted to long-lasting immersion in water in the conditions specified by the manufacturer

Class of protection against electrical shock

0	NONE	Protection against electrical shock is guaranteed by the basic isolation. In case that the isolation is damaged, the anti-shock protection should be guaranteed by the appropriately favourable environmental conditions and the equipment location beyond the direct touch.
I		In the equipment of the I class protection the safety is guaranteed through connection of all active conducting elements with a protective conductor or directly with the grounding.
II		In the equipment of the II class protection the safety is guaranteed through the application of double or reinforced isolation, which in the given environmental conditions and at the rated voltage is considered unbreakable.
III		The anti-shock protection in the III class equipment is guaranteed through decreasing of the supply voltage to the value which is safe in the given environmental conditions.

LAW NOTICE

This publication has been prepared by Kanlux SA.

Through the continuous improvement of its offer and adaptation of it to market and legal requirements, Kanlux SA reserves the right to make changes in its product mix.

This publication is not an offer within the meaning of the Civil Code. Actual products may differ from illustrative photos and drawings included in the publication. All of the data contained in the publication is in force on the date of printing i.e. 31st of August 2018.

Kanlux SA shall not be liable for the non-availability of products listed in this publication. Kanlux SA also shall not be liable for any direct, indirect, accidental or any other damages (including, but not limited to, lost profits, lost revenues or similar economic losses) arising out of the use of information contained in this publication.

Kanlux SA reserves the right for errors and changes in print.

www.KANLUX.COM

Kanlux SA

ul. Objazdowa 1-3, 41-922 Radzionków
Tel.: +48 /32/ 388 74 00
Fax: +48 /32/ 388 74 99
E-mail: kanlux@kanlux.pl
www.kanlux.pl

Kanlux s.r.o.

Sadová 618, 738 01 Frýdek-Místek
Česká republika
tel. +420 558 402 511, 603 504 218,
fax +420 558 694 250
e-mail: kanlux.cz@kanlux.cz
www.kanlux.cz

Kanlux s.r.o.

M.R. Štefánika 379/19, 911 01 Trenčín
Slovenská republika
tel. +421 327 446 385-6
fax +421 327 446 387
e-mail: kanlux.sk@kanlux.sk
www.kanlux.sk

Kanlux Kft.

9026 Győr, Bácsai út 153/b
Hungary
tel. +36 96 525-467
fax +36 96 319-420
e-mail: info@kanlux.hu
www.kanlux.hu

ТОВ Канлюкс

08130, Київська область, Києво-Святошинський район,
с.Петропавлівська Борщагівка, вул. Соборна,
будинок Т-В, офіс 617 Україна
тел. +38 (044) 585 33 19, факс +38 (44) 585 33 18
e-mail: kanlux_ua@kanlux.com
www.kanlux.com

ООО Канлюкс-Электромонтаж

142100, Московская область, г. Подольск,
ул. Комсомольская, д.1,
Российская Федерация
тел. +7 495 984 82 60
e-mail: russia@kanlux.com
www.kanlux.com

Kanlux EOOD

Warehouse area Gopet Logistics, 1532 Kazichene, Sofia
Bulgaria
ph. +359 2 421 96 24, fax +359 2 421 96 23
e-mail: kanlux.bg@kanlux.com
www.kanlux.bg

Kanlux GmbH

Flugplatz 21, 44319 Dortmund
Deutschland
Tel. +49 231 56557255, Fax +49 231 56557256
e-mail: kanlux.gmbh@kanlux.com
www.kanlux.com

Kanlux Lighting SRL

Intrarea Binelui 1A, Sector 4, 042159 Bucuresti
Romania
ph. +40 371 474 133
e-mail: comenzi@kanlux.com
www.kanlux.com

Kanlux France Distribution

ph. + 33 (0)6 51 64 28 79
email: kanlux.fr@kanlux.com
www.kanlux.com

Kanlux Italy Distribution

ph. + 39 (0) 340 950 26 05
email: kanlux.it@kanlux.com
www.kanlux.com

Kanlux UK Distribution

ph. 077 2524 9456
ph. 074 6679 1303
email: kanlux.uk@kanlux.com
www.kanlux.com



GET IT ON
Google Play



Download on the
App Store

